The 1989 Index to *MP*

A Guide to Volume 28, 1989

The indexed titles below can be found in volume 28 of Materials Performance. *Issue numbers and page numbers follow all titles. For example, under the bold heading "Abrasion, Causes," the article titled "Improved Design for Corrosion Control" can be found in the November issue (issue 11) on page 37.*

Subject Index

ABRASION, CAUSES
Improved Design for Corrosion Control, 11-37

ABRASION-RESISTANT COATINGS
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

ABRASIVE SURFACE PREPARATION
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31
Pipeline Coating Removal, Surface Preparation, 4-22
Surface Preparation Definitions Clarification, 11-42

ABRASIVES
Automotive Corrosion by Deicing Salts, 12-56
Coatings for Splash Zone, Subsea Areas, 1-41
Flame-Sprayed Al Performance on Oil Platforms, 9-34
How to Measure Industrial Boiler Deposit, 1-74

ABSORPTION, CAUSES
Leak Prevention for Underground Tanks, 7-28
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Solvent Influence on Organic Coating Blisters, 7-35
Air Pollution Regs Impact Utility Planning, 5-28

ACCELERATED LAB TESTING
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Offshore Structure Accelerated Coating Testing, 11-31
Sensitization Tests on CF, CFM Cast Alloy, 5-52

ACETIC ACIDS, CAUSES
Computer Systems for Materials Selection, 11-58
Ferritic Stainless Steel, When to Use, 9-52

ACID SURFACE PREPARATION
Consequences of Boiler Water Treatment Upset 12-49
How to Measure Industrial Boiler Deposit Quality, 1-74

ACIDIFICATION EFFECTS
Analysis of Attack on Galvanized Cooling, 9-47
Basics—Cathodic Inhibitors, 8-50
Consequences of Boiler Water Treatment Upset 12-49
Design vs Pressure Vessel Transportation Equipment, 1-49
Hydraulic Concrete—Basics, 10-62
Microbes Influence on Attack Underdeposit, 11-46

ACIDS, ORGANIC, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Ferritic Stainless Steel, When to Use, 9-52

ACOUSTICAL TESTING
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Process Equipment Surveillance Development, 6-46

ACRYLATE INHIBITORS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39

ACRYLICS, THIN FILM COATINGS
Economics of Advanced Coatings Systems, 2-29
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31

ADHESION, CAUSES
Immersed Coatings Blistering by Cathodic Protection, 9-31
Coatings for Splash Zone, Subsea Areas, 1-41
Concrete Bridge Deck, Substructure Protection, 10-11
Economics of Advanced Coatings Systems, 2-29
Fused Epoxy Pipe Coating Inspection, Tests, 5-29
Glass FRP Line Pipe for Oilfield Service, 8-64
Inhibitor Use in Wet Blasting Challenged, 7-7
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Solvent Influence on Organic Coating Blisters, 7-35
Variables Affecting Coatings Application, 10-28
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

ADSORPTION
Ohmic and Organic Inhibitor Fundamentals, 9-51
Review—Gas Well Corrosion Inhibitors, 8-46

AERATION
Buried Al, Cu Telephone Cable Shielding, 9-68
Control of Biological Attack on Concrete, 10-45

AIRCRAFT TRANSPORTATION
Metal Fiber Patches for Aircraft Cracks, 7-69

ALCOHOLS, CAUSES
Leak Prevention for Underground Tanks, 7-28

ALKALIS AND SALTS, CAUSES
Alkaline Cracking of Carbon Steel, 5-68
Basics—Cathodic Inhibitors, 8-50
Consequences of Boiler Water Treatment Upset 12-49
Long-Term Stress Relief on Piping Welds, 10-61
Na Lignosulfate Controls Boiler Cracking, 12-33
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

ALTERNATING CURRENT
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Ductile Iron Pipe, 8-25

ALUMINUM
Al Tank Failure Due to Wrong Welding Alloy, 9-66
Buried Al, Cu Telephone Cable Shielding, 9-68
CMA, NaCl Tests as Deicing Salts, 12-24
Inhibitors for Steel-Reinforced Concrete, 10-41
Liquid Mercury Embrittlement of Aluminum, 2-62
Low-Velocity Attack by Seawater, 2-46
Materials for 1000°C Incinerator Offgas, 11-62
SCC of Carbon Steel in Ammonia, 12-29

ALUMINUM COATINGS
Concrete Water Tanks vs Cold Climate, 5-51
Economics of Advanced Coatings Systems, 2-29
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Silicones and Other High-Temperature Coating, 5-33
Waste-Water Facilities Problems Case History, 9-43

ALUMINUM OXIDES
Guide to High-Temperature Alloys, 5-57

ALUMINUM, WROUGHT
Hot Phenol Corrosion of Aluminum Tank, 6-56
Liquid Mercury Embrittlement of Aluminum, 2-62

AMIDE INHIBITORS
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61

AMINES, CAUSES
Guide to High-Temperature Alloys, 5-57

AMMONIA, CAUSES
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Biological Attack on Nuclear Facilities, 10-55
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
Industrial Plant Steam Purity Problems, 5-45
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
SCC of Carbon Steel in Ammonia, 12-29
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58
Waste-Water Facilities Problems Case History, 9-43

ANAEROBIC MICROORGANISMS, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Control of Biological Attack on Concrete, 10-45
Microbes Influence on Attack Underdeposit, 11-46
Waste-Water Facilities Problems Case History, 9-43
Cathodic Protection Weighted, Immersed Pipeline, 11-15
High Current Output Anode Groundbed Planning, 7-22
Impressed Current Cathodic Protection Anodes Underground, 1-17

ANODES
Leak Prevention for Underground Tanks, 7-28

RP0388-88 Internal Cathodic Protection Water Tanks, 1-38

ANODIC PROTECTION
Anodic Protection Fundamentals, 9-28
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

ARBITRATION
Litigation Avoidance on Coatings Failure, 3-41

ARCTIC, ANTARCTIC GEOGRAPHICAL
Cathodic Protection Weighted, Immersed Pipeline, 11-15

ASHES
Air Pollution Regs Impact Utility Planning, 5-28
Guide to High-Temperature Alloys, 5-57
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Silicones and Other High-Temperature Coating, 5-33

ASPHALT THICK FILM COATINGS
Air Pollution Regs Impact Utility Planning, 5-28
Lake Maracaibo Pipe Control Statistics, 5-18

ATMOSPHERIC, CAUSES
Atmospheric Corrosion Test Review—Part 4, 1-52
Concrete Water Tanks vs Cold Climate, 5-51
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Waste-Water Facilities Problems Case History, 9-43

AUTOMOBILE TRANSPORTATION
Automotive Corrosion by Deicing Salts, 12-56

BACKFILL
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Coke Breeze Groundbed Backfill Evaluation, 7-14
CP of Pipeline in High-Resistivity Soils, 2-23
High-Current Output Anode Groundbed Planning, 7-22
Impressed Current Cathodic Protection Anodes Underground, 1-17
Leak Prevention for Underground Tanks, 7-28

BARE UNCOATED CARBON-STEEL PIPES
Lake Maracaibo Pipe Control Statistics, 5-18

BASES AND SALTS
Vapor Transport Tests on Electronic Box Seal, 6-30

BATCH INJECTION, WELL INHIBITORS
Review—Gas Well Corrosion Inhibitors, 8-46

BEARINGS
Analysis of Attack on Galvanized Cooling, 9-47

BENDING, MATERIALS, CAUSES
Alloy 556 vs 82 Welds of 800H, 8-58
Glass FRP Line Pipe for Oilfield Service, 8-64
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Quality Control for High-Nickel Casting, 1-64

BENZENE
Leak Prevention for Underground Tanks, 7-28

BEVERAGES INDUSTRIES, OTHER
CO_2 + H2O vs Fe-Cr-Mo Steels at High Pressure, 8-63

BIOCIDES, CAUSES
Corrosion Damage on Papermaking Equipment, 11-80

BIOLOGICAL CAUSES
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting of 904 L, 5-57
Cathodic Protection of Ductile-Iron Pipe, 8-25
Control of Biological Attack on Concrete, 10-45
Lake Maracaibo Pipe Control Statistics, 5-18
Localized Attack Under Biofouling, 3-71
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
Polymer Attack by Borers in Seawater, 10-52
Retained Hydrotest Water Tank Pit, 7-68
Waste-Water Facilities Problems Case History, 9-43

BLISTERING, COATINGS
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Immersed Coatings Blistering by Cathodic Protection, 9-31
Solvent Influence on Organic Coating Blisters, 7-35

BOILERS
Alkaline Cracking of Carbon Steel, 5-68
Chloride Attack on Coal-Fired Boilers, 2-41
Consequences of Boiler Water Treatment Upset, 12-49
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
Ferritic Stainless Steel, When to Use, 9-52
Industrial Plant Steam Purity Problems, 5-45
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Na Lignosulfate Controls Boiler Cracking, 12-33
Waste Incinerator Gas vs Alloys 825, 625, 12-41

BOLTS
Bolt Identification Regulations, 11-8
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Improved Design for Corrosion Control, 11-37

BONDING
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Ductile-Iron Pipe, 8-25
Metal Clad Plates vs Corrosive Environments, 5-70
Metal Fiber Patches for Aircraft Cracks, 7-69
Stray Current Control by Isolation and CP, 9-17

BORON
Metal Fiber Patches for Aircraft Cracks, 7-69
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60

BRICK
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

BRIDGES, CONSTRUCTION
CMA, NaCl Tests as Deicing Salts, 12-24
Concrete Bridge Deck, Substructure Protection, 10-11
Conductive Polymer Panel for CP of Piling, 9-24
Golden Gate Bridge 50-Years Corrosion Control, 10-65
New Coatings Meet VOC and Lead-Free Rule, 12-17

CABLE, NONELECTRICAL
CMA, NaCl Tests as Deicing Salts, 12-24
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Golden Gate Bridge 50-Years Corrosion Control, 10-65

CABLES, ELECTRICAL
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Lake Maracaibo Pipe Control Statistics, 5-18
Low-Velocity Attack by Seawater, 2-46

CALCAREOUS DEPOSITS, CATHODIC PROTECTION
Microbial Influence on Cathodic Potential in Seawater, 6-17
Seawater Flow Calcareous Deposits Influence on CP, 3-29

CALCIUM
Air Pollution Regs Impact Utility Planning, 5-28
Analysis of Attack on Galvanized Cooling, 9-47
Consequences of Boiler Water Treatment Upset, 12-49
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Paper Mill White Water Attack on Stainless Steel, 11-68
Polymer Control for Cooling Water Scales, 5-41

CALCIUM HYPOCHLORITE, CAUSES
Analysis of Attack on Galvanized Cooling, 9-47

CALCIUM MAGNESIUM ACETATE
CMA, NaCl Tests as Deicing Salts, 12-24

CALCIUM PHOSPHATE
Polymer Control for Cooling Water Scales, 5-41

CALCULATIONS
Simplified Worksheet for Coatings Calculations, 3-59

CALIPER, PETROLEUM WELL TESTING
Review—Gas Well Corrosion Inhibitors, 8-46

CAPACITORS
Ferritic Stainless Steel, When to Use, 9-52
Hg Cracking of Brass Condensor Tubes, 12-47

CARBIDE HIGH-TEMPERATURE COATINGS
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

CARBIDES, METAL STRUCTURE
Guide to High-Temperature Alloys, 5-57
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Stainless Steel Attacks—Case History, 2-65

CARBON
Ferritic Stainless Steel, When to Use, 9-52
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Low-Velocity Attack by Seawater, 2-46
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Quality Control for High-Nickel Casting, 1-64
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

CARBON DIOXIDE, CAUSES
Basics—Oilfield Inhibitor Applications, 1-57
Carbon Steel vs CO_2 Aqueous Environments, Part 1, Effects, 3-63
Control of Biological Attack on Concrete, 10-45
CO_2 + H_2O vs Fe-Cr-Mo Steels at High Pressure, 8-63
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Industrial Plant Steam Purity Problems, 5-45
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Persistence of Inhibitor Films in CO_2, 3-87
Waste-Water Facilities Problems Case History, 9-43

CARBON MONOXIDE, CAUSES
Guide to High-Temperature Alloys, 5-57

CARBON-STEEL WROUGHT
Air Pollution Regs Impact Utility Planning, 5-28
Alkaline Cracking of Carbon Steel, 5-68
Biological Attack on Nuclear Facilities, 10-55

Buried Al, Cu Telephone Cable Shielding, 9-68
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Consequences of Boiler Water Treatment Upset, 12-49
Design vs Pressure Vessel Transportation Equipment, 1-49
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Galvanic Corrosion of Heat Exchangers
Glass FRP Line Pipe for Oilfield Service, 8-64
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Guide to High-Temperature Alloys, 5-57
Hg Cracking of Brass Condensor Tubes, 12-47
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Industrial Plant Steam Purity Problems, 5-45
Long-Term Stress Relief on Piping Welds, 10-61
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Nuclear Reactor Materials vs Decontamination, 2-67
RP0288-88—Steel and Concrete Linings Inspection, 3-50
SCC of Carbon Steel in Ammonia, 12-29
Silicones and Other High-Temperature Coating, 5-33
Stray Current Control by Isolation and CP, 9-17
Surface Preparation Definitions Clarification, 11-42

CARBONATE FILMS
Basics—Cathodic Inhibitors, 8-50
Carbon Steel vs CO_2 Aqueous Environments, Part 1, Effects, 3-63
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

CARBONATE INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41

CARBONATES
Analysis of Attack on Galvanized Cooling, 9-47

CARBONIC ACIDS
$CO_2 + H_2$ vs Fe-Cr-Mo Steels at High Pressure, 8-63

CARBURIZING, EFFECTS
Guide to High-Temperature Alloys, 5-57

CASE HISTORIES OR FAILURE ANALYSIS
Alkaline Cracking of Carbon Steel, 5-68
Biologically Induced Pitting of 904 L, 5-57
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Causes of Repeated Corrosion Failures, 8-75
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Coatings for Splash Zone, Subsea Areas, 1-41
Coatings Specification Enforcement, 2-23
Computer Aids for Metal Corrosion Control, 5-13
Consequences of Boiler Water Treatment Upset, 12-49
Control of Biological Attack on Concrete, 10-45
$CO_2 + H_2$ vs Fe-Cr-Mo Steels at High Pressure, 8-63
Curing Time Critical for Coatings Performance, 2-23 12-21
Economics of Advanced Coatings Systems, 2-29
Failure Analysis Fundamentals, 7-83
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39
Glass FRP Line Pipe for Oilfield Service, 8-64
Guide to High-Temperature Alloys, 5-57
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Improved Design for Corrosion Control, 11-37
Industrial Plant Steam Purity Problems, 5-45
Leak Prevention for Underground Tanks, 7-28
Miniature Samples Aid Service Life Prediction, 7-77
New Coatings Meet VOC and Lead-Free Rule, 12-17
Nodular Cast Iron Valves vs Arab Gulf Waters, 8-53
Petroleum Well Casing CP System Evaluation, 8-17
Pipeline Coating Removal, Surface Preparation, 4-22
Stainless-Steel Attacks—Case History, 2-65
Surface Preparation Errors Cause Coatings Failure, 10-35
Unexpected Consequences Corrosion Factor, 7-70
Waste-Water Facilities Problems Case History, 9-43

CASING, WELL
Petroleum Well Casing CP System Evaluation, 8-17

CASINGS, PIPELINE
Stray Current Control by Isolation and CP, 9-17

CAST IRON
Cathodic Protection of Ductile-Iron Pipe, 8-25
Waste-Water Facilities Problems Case History, 9-43

CATALYTIC CRACKERS, PETROLEUM
High-Temperature Cracking of Low Cr-Mo Steel, 12-35

CATALYTIC, EFFECTS
Microbial Influence on Cathodic Potential in Seawater, 6-17

CATHODIC PROTECTION
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection System Design—Basic, 5-25
Coatings Enhance CP on Ship Propellers, 3-21
Coke Breeze Groundbed Backfill Evaluation, 7-14
Computer Aids for Metal Corrosion Control, 5-13
Concrete Bridge Deck, Substructure Protection, 10-11
Conductive Polymer Panel for CP of Pilings, 9-24
Controls for Reinforced-Concrete Manhole, 10-17
Ferritic Stainless Steel, When to Use, 9-52
High Current Output Anode Groundbed Planning, 7-22
Hydraulic Concrete—Basics, 10-62
Immersed Coatings Blistering by Cathodic Protection, 9-31
Lake Maracaibo Pipe Control Statistics, 5-18
Leak Prevention for Underground Tanks, 7-28
Microbial Influence on Cathodic Potential in Seawater, 6-17
Petroleum Well Casing CP System Evaluation, 8-17
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
Scale Modeling Effects on Corrosion Rate, 11-72
Seawater Flow Calcareous Deposits Influence on CP, 3-29
Stray Current Control by Isolation and CP, 9-17

CAVITATION
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53
Waste-Water Facilities Problems Case History, 9-43

CEMENTING
Glass FRP Line Pipe for Oilfield Service, 8-64

CERAMIC COATINGS
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

CERAMICS
Guide to High-Temperature Alloys, 5-57
High Current Output Anode Groundbed Planning, 7-22

CHLORIDES, BASES AND SALTS, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Concrete Bridge Deck, Substructure Protection, 10-11
Consequences of Boiler Water Treatment Upset, 12-49
Ferritic Stainless Steel, When to Use, 9-52
Galvanic Corrosion of Heat Exchangers, 1-67
Glass FRP Line Pipe for Oilfield Service, 8-64
Guide to High-Temperature Alloys, 5-57
Inhibitors for Steel-Reinforced Concrete, 10-41
Metal-Clad Plates vs Corrosive Environment, 5-70
Microbes Influence on Attack Underdeposit, 11-46
Precipitation Inhibitors—Basics, 10-51
Retained Hydrotest Water Tank Pit, 7-68
Unexpected Consequences Corrosion Factor, 7-70
Waste-Water Facilities Problems Case History, 9-43

CHLORINE, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Computer Systems for Materials Selection, 11-58
Consequences of Boiler Water Treatment Upset, 12-49
Impressed Current Cathodic Protection Anodes Underground, 1-17
Paper Mill White Water Attack on Stainless Steel, 11-68
Waste Incinerator Gas vs Alloys 825, 625, 12-41

CHROMATE ANODIC INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41
Review—Gas Well Corrosion Inhibitors, 8-46

CHROMATES, BASES AND SALTS, CAUSES
New Coatings Meet VOC and Lead-Free Rule, 12-17

CHROMIUM
Guide to High-Temperature Alloys, 5-57
Materials for 1000°C Incinerator Offgas, 11-62

CHROMIUM COATINGS
Materials for 1000°C Incinerator Offgas, 11-62
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

CLEANING SPECIMEN PREPARATION
Atmospheric Corrosion Test Review—Part 4, 1-52
Biological Attack on Nuclear Facilities, 10-55
Hg Cracking of Brass Condensor Tubes, 12-47
Nuclear Reactor Materials vs Decontamination, 2-67
Pipeline Coating Removal, Surface Preparation, 4-22
Surface Preparation Errors Cause Coatings Failure, 10-35

COAL-TAR THICK FILM COATINGS

Cathodic Protection of Ductile-Iron Pipe, 9-25
Computer Aids for Metal Corrosion Control, 5-13
Leak Prevention for Underground Tanks, 7-28

COAL, ENERGY SOURCES
Air Pollution Regs Impact Utility Planning, 5-28
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Concrete Water Tanks vs Cold Climate, 5-51
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

COATINGS
6Q187—Quality Control for Coatings Applications, 3-46
CMA, NaCl Tests as Deicing Salts, 12-24
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Coatings Batch Identification Importance, 7-43
Coatings Enhance CP on Ship Propellers, 3-21
Coatings for Splash Zone, Subsea Areas, 1-41
Computer Aids for Metal Corrosion Control, 5-13
Design vs Pressure Vessel Transportation Equipment, 1-49
Galvanic Corrosion of Heat Exchangers, 1-67
Glass FRP Line Pipe for Oilfield Service, 8-64
Hydraulic Concrete—Basics, 10-62
Immersed Coatings Blistering by Cathodic Protection, 9-31
Improved Design for Corrosion Control, 11-37
Inhibitor Use in Wet Blasting Challenged, 7-7
Leak Prevention for Underground Tanks, 7-28
New Coatings Meet VOC and Lead-Free Rule, 12-17
Pipeline Coating Removal, Surface Preparation, 4-22
Product Data Sheet Precautions, 6-37
Relative Humidity Influence on Coatings, 5-38
RP0288-88—Steel and Concrete Linings Inspection, 3-50
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38
Silicones and Other High-Temperature Coating, 5-33
Simplified Worksheet for Coatings Calculations, 3-59
Training Protocol Preceding Coatings Application, 9-40
Variables Affecting Coatings Application, 10-28

COATINGS ORGANIC, THIN FILM
Coatings Quality Test Methods, 5-39
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53

COATINGS TESTING
Fused Epoxy Pipe Coating Inspection, Tests, 5-29
Offshore Structure Accelerated Coating Testing, 11-31

COATINGS, METAL
Guide to High-Temperature Alloys, 5-57
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

COBALT
Guide to High-Temperature Alloys, 5-57
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

COMBUSTION GASES, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Ferritic Stainless Steel, When to Use, 9-52
Guide to High-Temperature Alloys, 5-57
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Materials for 1000°C Incinerator Offgas, 11-62
Metal Clad Plates vs Corrosive Environments, 5-70
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Silicones and Other High-Temperature Coating, 5-33
Waste Incinerator Gas vs Alloys 825, 625, 12-41

COMPOSITES
Guide to High-Temperature Alloys, 5-57

COMPRESSIVE STRESS EFFECTS
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Hydraulic Concrete—Basics, 10-62

COMPUTER CALCULATIONS
Computer Access to High-Temperature Alloy Information, 1-69
Computer Aids for Metal Corrosion Control, 5-13
Lake Maracaibo Pipe Control Statistics, 5-18
Offshore Structure Accelerated Coating Testing, 11-31
Scale Modeling Effects on Corrosion Rate, 11-72
Unexpected Consequences Corrosion Factor, 7-70

COMPUTER SOFTWARE
Computer Systems for Materials Selection, 11-58

CONCENTRATION CELLS, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Buried Al, Cu Telephone Cable Shielding, 9-68
Microbes Influence on Attack Underdeposit, 11-46
Offshore Structure Accelerated Coating Testing, 11-31
Oxygen Concentration Cells Underground, 4-74

CONCENTRATION OF CHEMICALS
Basics—Oilfield Inhibitor Applications, 1-57
Biological Attack on Nuclear Facilities, 10-55
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Consequences of Boiler Water Treatment Upset, 12-49
Evaluating Equipment for Wet H_2S Service, 6-59
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
Inhibitor Basics—Anodic Passivation, 7-57
Oxygen Concentration Cells Underground, 4-74
Paper Mill White Water Attack on Stainless Steel, 11-68
Review—Gas Well Corrosion Inhibitors, 8-46
Solvent Influence on Organic Coating Blisters, 7-35
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

CONCRETE
CMA, NaCl Tests as Deicing Salts, 12-24
Concrete Bridge Deck, Substructure Protection, 10-11
Control of Biological Attack on Concrete, 10-45
Hydraulic Concrete—Basics, 10-62
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Petroleum Well Casing CP System Evaluation, 8-17
RP0288-88—Steel and Concrete Linings Inspection, 3-50
Variables Affecting Coatings Application, 10-28

CONCRETE COATINGS, PIPE
Cathodic Protection Weighted, Immersed Pipeline, 11-21
Control of Biological Attack on Concrete, 10-45

CONCRETE INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41

CONDENSATE, AQUEOUS, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28

CONDENSATION, EFFECTS
Biological Attack on Nuclear Facilities, 10-55
Control of Biological Attack on Concrete, 10-45
Corrosion Damage on Papermaking Equipment, 11-80
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Guide to High-Temperature Alloys, 5-57
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Unexpected Consequences Corrosion Factor, 7-70
Vapor Transport Tests on Electronic Box Seal, 6-30
Waste-Water Facilities Problems Case History, 9-43

CONDUCTIVE CONCRETE, POLYMERIC
Concrete Bridge Deck, Substructure Protection, 10-11
Controls for Reinforced-Concrete Manhole, 10-17

CONDUCTIVE POLYMERIC ANODES
Conductive Polymer Panel for CP of Pilings, 9-24

CONDUCTIVITY
Carbon Steel vs CO_2 Aqueous Environments, Part 1, Effects, 3-63
Coke Breeze Groundbed Backfill Evaluation, 7-14
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
SCC of Carbon Steel in Ammonia, 12-29

CONTAMINANTS
Industrial Plant Steam Purity Problems, 5-45
New Coatings Meet VOC and Lead-Free Rule, 12-17

COOLING AQUEOUS ENVIRONMENTS
Galvanic Corrosion of Heat Exchangers, 1-67
Materials for 1000°C Incinerator Offgas, 11-62
Polymer Control for Cooling Water Scales, 5-41
Stray Current Attack Inside Water Pipe, 11-66

COPPER
Biological Attack on Nuclear Facilities, 10-55
Buried Al, Cu Telephone Cable Shielding, 9-68
Consequences of Boiler Water Treatment Upset, 12-49
Controls for Reinforced-Concrete Manhole, 10-17
Cu Release From Cu-Ni Heat Exchanger Coils, 9-75
Galvanic Corrosion of Heat Exchangers, 1-67
Hg Cracking of Brass Condensor Tubes, 12-47
How to Measure Industrial Boiler Deposit, 1-74
Industrial Plant Steam Purity Problems, 5-45
Lake Maracaibo Pipe Control Statistics, 5-18
Liquid Mercury Embrittlement of Aluminum, 2-62
Low-Velocity Attack by Seawater, 2-46
Vapor Transport Tests on Electronic Box Seal, 6-30

COPPER, WROUGHT
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Microbial Influence on Cathodic Potential in Seawater, 6-17

CORROSION EROSION
Guide to High-Temperature Alloys, 5-57
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53

CRACKING
Air Pollution Regs Impact Utility Planning, 5-28
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Atmospheric Corrosion Test Review—Part 4, 1-52

Corrosion Damage on Papermaking Equipment, 11-80
Evaluating Equipment for Wet H_2S Service, 6-59
Guide to High-Temperature Alloys, 5-57
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Inhibitors for Steel-Reinforced Concrete, 10-41
Liquid Mercury Embrittlement of Aluminum, 2-62
Long-Term Stress Relief on Piping Welds, 10-61
Metal Fiber Patches for Aircraft Cracks, 7-69
Miniature Samples Aid Service Life Prediction, 7-77
Na Lignosulfate Controls Boiler Cracking, 12-33
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53
Nondestructive Detection of Hydrogen Damage, 8-71
Process Equipment Surveillance Development, 6-46
Quality Control for High-Nickel Casting, 1-64
SCC of Carbon Steel in Ammonia, 12-29

CREVICES
Biologically Induced Pitting in 904 L, 5-57
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Corrosion Damage on Papermaking Equipment, 11-80
Ferritic Stainless Steel, When to Use, 9-52
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Improved Design for Corrosion Control, 11-37
Microbes Influence on Attack Underdeposit, 11-46
Microbial Influence on Cathodic Potential in Seawater, 6-17
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
SCC of Carbon Steel in Ammonia, 12-29

CURING MECHANISM, COATINGS
Curing Time Critical for Coatings Performance, 12-21
Relative Humidity Influence on Coatings, 5-38

CURRENT DENSITY, LAB TESTS
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
High Current Output Anode Groundbed Planning, 7-22
Microbial Influence on Cathodic Potential in Seawater, 6-17
Scale Modeling Effects on Corrosion Rate, 11-72

DATA CORRELATION, CALCULATIONS
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Causes of Repeated Corrosion Failures, 8-75
Computer Access to High-Temperature Alloy Information, 1-69
Computer Systems for Materials Selection, 11-58
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
How to Measure Industrial Boiler Deposit, 1-74
Nondestructive Detection of Hydrogen Damage, 8-71
Pipeline Coating Defect, Potential Tests, 4-17
Practical Application of Statistics, 10-71
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21

DEAERATION
Basics—Cathodic Inhibitors, 8-50
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

DEALLOYING, EFFECTS
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53

DEEP WELL GROUNDBEDS
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Controls for Reinforced-Concrete Manhole, 10-17

DEHYDRATION
Desiccant Dehumidifier Cuts Coatings Timing, 8-32

DEICING SALTS
Automotive Corrosion by Deicing Salts, 12-56
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Design vs Pressure Vessel Transportation Equipment, 1-49

DELAMINATION, EFFECTS
Concrete Water Tanks vs Cold Climate, 5-51
Curing Time Critical for Coatings Performance, 12-21
Leak Prevention for Underground Tanks, 7-28

DESALINATION, WATER
Immersed Coatings Blistering by Cathodic Protection, 9-31

DESICCATION
Biological Attack on Nuclear Facilities, 10-55
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Vapor Transport Tests on Electronic Box Seal, 6-30

DESIGN
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection System Design—Basic, 5-25
Causes of Repeated Corrosion Failures, 8-75
Computer Aids for Metal Corrosion Control, 5-13
Computer Systems for Materials Selection, 11-58
Concrete Water Tanks vs Cold Climate, 5-51
Conductive Polymer Panel for CP of Pilings, 9-24
Design Fundamentals for FRP, 1-35
Design vs Pressure Vessel Transportation Equipment, 1-49
Failure Analysis Fundamentals, 7-83
Ferritic Stainless Steel, When to Use, 9-52
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Guide to High-Temperature Alloys, 5-57
High Current Output Anode Groundbed Planning, 7-22
Improved Design for Corrosion Control, 11-37
Leak Prevention for Underground Tanks, 7-28
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38
Unexpected Consequences Corrosion Factor, 7-70

DESUI[illegible]IRIZERS, FILTERS
Metal Clad Plates vs Corrosive Environments, 5-70
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

DEWPOINT, AQUEOUS CONDENSATION
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Inhibitors for Steel-Reinforced Concrete, 10-41
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Vapor Transport Tests on Electronic Box Seal, 6-30

DIFFUSION, MATERIALS EFFECTS
High-Temperature Attack Basics, 6-67
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Scale Modeling Effects on Corrosion Rate, 11-72

DIRECT CURRENT
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Stray Current Attack Inside Water Pipe, 11-66

DISBONDING, COATINGS
Air Pollution Regs Impact Utility Planning, 5-28
Offshore Structure Accelerated Coating Testing, 11-31
Pipeline Coating Removal, Surface Preparation, 4-22
Solvent Influence on Organic Coating Blisters, 7-35

DIVER, UNDERWATER REPAIRS
Coatings for Splash Zone, Subsea Areas, 1-41
Lake Maracaibo Pipe Control Statistics, 5-18

DRAINAGE, MECHANICAL METHODS
Improved Design for Corrosion Control, 11-37

DRAINS, PIPES
Control of Biological Attack on Concrete, 10-45

DRYING, MATERIALS
Corrosion Damage on Papermaking Equipment, 11-80

DUCTILITY
High-Temperature Cracking of Low Cr-Mo Steel, 12-35

DUCTS OR PIPES
Controls for Reinforced-Concrete Manhole, 10-17

DUPLEX STAINLESS STEELS
Corrosion Damage on Papermaking Equipment, 11-80
Galvanic Corrosion of Heat Exchangers, 1-67
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

ECONOMICS
Air Pollution Regs Impact Utility Planning, 5-28
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Concrete Water Tanks vs Cold Climate, 5-51
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Design Fundamentals for FRP, 1-35
Economics of Advanced Coatings Systems, 2-29
Glass FRP Line Pipe for Oilfield Service, 8-64
Lake Maracaibo Pipe Control Statistics, 5-18
Petroleum Refinery Overview, 8-62
Pipeline Coating Defect, Potential Tests, 4-17
Pipeline Coating Removal, Surface Preparation, 4-22
Simplified Worksheet for Coatings Calculations, 3-59
Unexpected Consequences Corrosion Factor, 7-70
Waste-Water Facilities Problems Case History, 9-43

EDGE EFFECTS
Scale Modeling Effects on Corrosion Rate, 11-72
Stainless Steel Attacks—Case History, 2-65

EDUCATION
Coatings Industry Federal Regulations, 2-23
Unexpected Consequences Corrosion Factor, 7-70

ELASTOMERIC MATERIALS
Vapor Transport Tests on Electronic Box Seal, 6-30

ELASTOMERS, CONDUCTIVE
Concrete Bridge Deck, Substructure Protection, 10-11
Conductive Polymer Panel for CP of Pilings, 9-24

ELECTRIC ARC WELDING, CAUSES
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58

ELECTRICAL INSULATION
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39
Improved Design for Corrosion Control, 11-37
Lake Maracaibo Pipe Control Statistics, 5-18
Stray Current Control by Isolation and Carbon, 9-17
Unexpected Consequences Corrosion Factor, 7-70

ELECTRICAL RESISTIVITY, HOLIDAY TESTS
Buried Al, Cu Telephone Cable Shielding, 9-68
Leak Prevention for Underground Tanks, 7-28
Pipeline Coating Defect, Potential Tests, 4-17

ELECTRICITY GENERATION EQUIPMENT
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

ELECTRODES, WELDING
Al Tank Failure Due to Wrong Welding Alloy, 9-66
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58

ELECTROENDOSMOSIS
Immersed Coatings Blistering by Cathodic Protection, 9-31
Solvent Influence on Organic Coating Blisters, 7-35

ELECTROPHORETIC APPLICATION, NONMETALLIC COATINGS
Atmospheric Corrosion Test Review—Part 4, 1-52

EMBRITTLEMENT
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Liquid Mercury Embrittlement of Aluminum, 2-62

EPOXY COATINGS
CMA, NaCl Tests as Deicing Salts, 12-24
Coatings for Splash Zone, Subsea Areas, 1-41
Concrete Water Tanks vs Cold Climate, 5-51
Control of Biological Attack on Concrete, 10-45
Controls for Reinforced-Concrete Manhole, 10-17
CP of Pipeline in High-Resistivity Soils, 2-23
Economics of Advanced Coatings Systems, 2-29
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Glass FRP Line Pipe for Oilfield Service, 8-64
Leak Prevention for Underground Tanks, 7-28
Metal Fiber Patches for Aircraft Cracks, 7-69
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31
Silicones and Other High-Temperature Coating, 5-33
Solvent Influence on Organic Coating Blisters, 7-35

ETHYL ALCOHOLS, CAUSES
Leak Prevention for Underground Tanks, 7-28

ETHYLENE GLYCOL INHIBITORS
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50

ETHYLENE-DIAMINE-TETRA-ACETIC ACID
Nuclear Reactor Materials vs Decontamination, 2-67

EUTECTIC METAL COMPOUNDS
Guide to High-Temperature Alloys, 5-57

EVAPORATION
Solvent Influence on Organic Coating Blisters, 7-35

EXPANSION JOINTS
Industrial Plant Steam Purity Problems, 5-45

EXPERT COMPUTER SYSTEMS
Causes of Repeated Corrosion Failures, 8-75
Computer Access to High-Temperature Alloy Information, 1-69
Computer Aids for Metal Corrosion Control, 5-13
Computer Systems for Materials Selection, 11-58
Unexpected Consequences Corrosion Factor, 7-70

EXPLOSION CLADDING, METAL COATINGS
Metal Clad Plates vs Corrosive Environment, 5-70

EXTRUSION APPLICATION OF NONMETALLIC COATINGS
Leak Prevention for Underground Tanks, 7-28

FAILURE, COATINGS
Litigation Avoidance on Coatings Failure, 3-41
Simplified Worksheet for Coatings Calculations, 3-59

FASTENERS
Waste-Water Facilities Problems Case History, 9-43

FATIGUE STRESSES, CAUSES
Corrosion Damage on Papermaking Equipment, 11-80
Waste-Water Facilities Problems Case History, 9-43

FERRIC ION EFFECTS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Nuclear Reactor Materials vs Decontamination, 2-67

FERRIC SULFATE TEST
Sensitization Tests on CF, CFM Cast Alloy, 5-52

FERRITE EFFECTS
Sensitization Tests on CF, CFM Cast Alloy, 5-52

FIBER-OPTICAL COMMUNICATION
Cathodic Protection of Buried Lead Sheathed Cable, 12-11

FIBER-REINFORCED POLYMERS
Conductive Polymer Panel for CP of Pilings 9-24
Corrosion Damage on Papermaking Equipment, 11-80
Design Fundamentals for FRP, 1-35
Leak Prevention for Underground Tanks, 7-28
Metal Fiber Patches for Aircraft Cracks, 7-69
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

FILIFORM, COATINGS
Buried Al, Cu Telephone Cable Shielding, 9-68

FILMS AND SCALES
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Consequences of Boiler Water Treatment Upset, 12-49
Guide to High-Temperature Alloys, 5-57
High-Temperature Attack Basics, 6-67
How to Measure Industrial Boiler Deposit, 1-74
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53
Ohmic and Organic Inhibitor Fundamentals, 9-51
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Polymer Control for Cooling Water Scales, 5-41
Precipitation Inhibitors—Basics, 10-51
Review—Gas Well Corrosion Inhibitors, 8-46
Stainless Steel Attacks—Case History, 2-65
Waste Incinerator Gas vs Alloys 825, 625, 12-41

FILTRATION
Air Pollution Regs Impact Utility Planning, 5-28
Control of Biological Attack on Concrete, 10-45

FINNED TUBE HEAT EXCHANGERS
Consequences of Boiler Water Treatment Upset, 12-49

FLAME-SPRAYED, METAL COATINGS
Flame-Sprayed Al Performance on Oil Platforms, 9-34

FLAME SURFACE PREPARATION
Surface Preparation Definitions Clarification, 11-42

FLEXIBILITY
Fused Epoxy Pipe Coating Inspection, Tests, 5-29

FLOW, INTERMITTENT
Biological Attack on Nuclear Facilities, 10-55

FLUIDIZED BED FURNACES
Air Pollution Regs Impact Utility Planning, 5-28
Consequences of Boiler Water Treatment Upset, 12-49
Ferritic Stainless Steel, When to Use, 9-52

FLUORINE GASES, CAUSES
Guide to High-Temperature Alloys, 5-57

FOAM, BOILER WATER
Industrial Plant Steam Purity Problems, 5-45

FORMIC ACID
Computer Systems for Materials Selection, 11-58
Ferritic Stainless Steel, When to Use, 9-52
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57

FOURDRINIERE MACHINES
Corrosion Damage on Papermaking Equipment, 11-80

FREEZING, CAUSES
Concrete Water Tanks vs Cold Climate, 5-51
Hydraulic Concrete—Basics, 10-62
Inhibitors for Steel-Reinforced Concrete, 10-41

FRESH AQUEOUS ON-SITE TESTING
Retained Hydrotest Water Tank Pit, 7-68

FUMES OR VAPORS
Desiccant Dehumidifier Cuts Coatings Time, 8-32
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
SCC of Carbon Steel in Ammonia, 12-29
Silicones and Other High-Temperature Coating, 5-33
Vapor Transport Tests on Electronic Box Seal, 6-30

FURNACES
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Waste Incinerator Gas vs Alloys 825, 625, 12-41

GALVANIC CELLS

Automotive Corrosion by Deicing Salts, 12-56
Buried Al, Cu Telephone Cable Shielding, 9-68
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
CP of Pipeline in High-Resistivity Soils, 2-23
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39
Galvanic Corrosion of Heat Exchangers, 1-67
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Improved Design for Corrosion Control, 11-37
Lake Maracaibo Pipe Control Statistics, 5-18
Low-Velocity Attack by Seawater, 2-46
Microbial Influence on Cathodic Potential in Seawater, 6-17
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53
Scale Modeling Effects on Corrosion Rate, 11-72
Unexpected Consequences Corrosion Factor, 7-70
Vapor Transport Tests on Electronic Box Seal, 6-30
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

GALVANIC SYSTEMS, CATHODIC PROTECTION
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
CP of Pipeline in High-Resistivity Soils, 2-23
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Lake Maracaibo Pipe Control Statistics, 5-18
Leak Prevention for Underground Tanks, 7-28
SCC of Carbon Steel in Ammonia, 12-29

GALVANIZED STEEL
Analysis of Attack on Galvanized Cooling Towers, 9-47
CMA, NaCl Tests as Deicing Salts, 12-24
Inhibitors for Steel-Reinforced Concrete, 10-41
Low-Velocity Attack by Seawater, 2-46

GAS WELLS
Dynamic Test for High-Pressure CO_2 Inhibition, 8-41
Glass FRP Line Pipe for Oilfield Service, 8-64
Review—Gas Well Corrosion Inhibitors, 8-46

GAS, SCRUBBERS
Air Pollution Regs Impact Utility Planning, 5-28
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

GASES, CAUSES
Computer Access to High-Temperature Alloy Information, 1-69
Microbes Influence on Attack Underdeposit, 11-46
Solvent Influence on Organic Coating Blisters, 7-35

GASOLINE-ALCOHOL BLENDS
Leak Prevention for Underground Tanks, 7-28

GENERATORS, ROTARY, ELECTRICITY
Miniature Samples Aid Service Life Prediction, 7-77

GEOGRAPHICAL INFLUENCES
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Concrete Water Tanks vs Cold Climate, 5-51
Design vs Pressure Vessel Transportation Equipment, 1-49

GEOLOGICAL ENVIRONMENTS
CP of Pipeline in High-Resistivity Soils, 2-23
Petroleum Well Casing CP System Evaluation, 8-17

GEOMETRICAL EFFECTS
Biological Attack on Nuclear Facilities, 10-55
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Improved Design for Corrosion Control, 11-37
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53
Scale Modeling Effects on Corrosion Rate, 11-72

GEOMETRY, GRAIN, CAUSES
Review—Gas Well Corrosion Inhibitors, 8-46

GEOTHERMAL ENVIRONMENTS, CAUSES
Ferritic Stainless Steel, When to Use, 9-52

GLASS BEADS, SURFACE PREPARATION
How to Measure Industrial Boiler Deposit, 1-74

GLASS FIBERS
Design Fundamentals for FRP, 1-35
Leak Prevention for Underground Tanks, 7-28

GLASS FLAKE COATINGS
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

GLOBE VALVES
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53

GRAIN EFFECTS
Guide to High-Temperature Alloys, 5-57
Nondestructive Detection of Hydrogen Damage, 8-71
Quality Control for High-Nickel Casting, 1-64
Sensitization Tests on CF, CFM Cast Alloy, 5-52

GRAPHITE
Metal Fiber Patches for Aircraft Cracks, 7-69
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53

GRAPHITIZATION
Cathodic Protection of Ductile-Iron Pipe, 8-25
Miniature Samples Aid Service Life Prediction, 7-77

GRATINGS, MISC. EQUIPMENT
Improved Design for Corrosion Control, 11-37

GRIT BLASTING, SURFACE PREPARATION
Flame-Sprayed Al Performance on Oil Platforms, 9-34

GROUNDBEDS, CATHODIC PROTECTION
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection of Ductile-Iron Pipe, 8-25
Coke Breeze Groundbed Backfill Evaluation, 7-14
Controls for Reinforced-Concrete Manhole, 10-17
High Current Output Anode Groundbed Planning, 7-22

GROUNDS, ELECTRICAL
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Ductile-Iron Pipe, 8-25
Controls for Reinforced-Concrete Manhole, 10-17
CP of Pipeline in High-Resistivity Soils, 2-23
Lake Maracaibo Pipe Control Statistics, 5-18

HALF-CELLS, TESTING WITH
CP of Pipeline in High-Resistivity Soils, 2-23

HALOGENS, CAUSES
Guide to High-Temperature Alloys, 5-57
Waste Incinerator Gas vs Alloys 825, 625, 12-41

HAND TOOLS, SURFACE PREPARATION
Surface Preparation Definitions Clarification, 11-42

HARDNESS
Evaluating Equipment for Wet H_2S Service, 6-59
Ferritic Stainless Steel, When to Use, 9-52
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53

HATCHES
Leak Prevention for Underground Tanks, 7-28

HAZARD ASSESSMENT
Unexpected Consequences Corrosion Factor, 7-70

HEAT-AFFECTED ZONE, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Liquid Mercury Embrittlement of Aluminum, 2-62
Waste-Water Facilities Problems Case History, 9-43

HEAT EXCHANGERS
Alkaline Cracking of Carbon Steel, 5-68
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Ferritic Stainless Steel, When to Use, 9-52
Galvanic Corrosion of Heat Exchangers, 1-67
Guide to High-Temperature Alloys, 5-57
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Scale Modeling Effects on Corrosion Rate, 11-72

HEAT TREATMENT
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Corrosion Damage on Papermaking Equipment, 11-80
Evaluating Equipment for Wet H_2S Service, 6-59
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Low-Velocity Attack by Seawater, 2-46
Metal Clad Plates vs Corrosive Environments, 5-70
Nuclear Reactor Materials vs Decontamination, 2-67
Quality Control for High-Nickel Casting, 1-64
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58
Stainless Steel Attacks—Case History, 2-65

HEATING
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Coatings for Splash Zone, Subsea Areas, 1-41
Concrete Water Tanks vs Cold Climate, 5-51
Corrosion Damage on Papermaking Equipment, 11-80
Long-Term Stress Relief on Piping Welds, 10-61
Silicones and Other High-Temperature Coating, 5-33

HELICOPTERS
Airframe Sensors Detect Corrosion Rates, 9-82

HIGH-PURITY AQUEOUS ENVIRONMENTS, CAUSES
Industrial Plant Steam Purity Problems, 5-45

HIGH TEMPERATURES
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Computer Access to High-Temperature Alloy Information, 1-69
Guide to High-Temperature Alloys, 5-57
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
High-Temperature Attack Basics, 6-67

Materials for 1000°C Incinerator Offgas, 11-62
Miniature Samples Aid Service Life Prediction, 7-77
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Silicones and Other High-Temperature Coating, 5-33

HOT FABRICATION
Evaluating Equipment for Wet H_2S Service, 6-59
N Purging of Duplex Pipe for Hot Bending, 6-53

HUMID ATMOSPHERIC CAUSES
Desiccant Dehumidifier Cuts Coatings Time, 5-32
Relative Humidity Influence on Coatings, 5-38
Solvent Influence on Organic Coating Blisters, 7-35
Vapor Transport Tests on Electronic Box Seal, 6-30

HYDRAULIC PRESSURE TESTING
Retained Hydrotest Water Tank Pit, 7-68

HYDROCHLORIC ACIDS, CAUSES
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Computer Systems for Materials Selection, 11-58
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58
Waste Incinerator Gas vs Alloys 825, 625, 12-41

HYDROFLUORIC ACIDS
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

HYDROGEN EMBRITTLEMENT
Evaluating Equipment for Wet H_2S Service, 6-59
Ferritic Stainless Steel, When to Use, 9-52
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Nondestructive Detection of Hydrogen Damage, 8-71

HYDROGEN
Basics—Cathodic Inhibitors, 8-50
Consequences of Boiler Water Treatment Upset, 12-49
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Immersed Coatings Blistering by Cathodic Protection, 9-31
Nondestructive Detection of Hydrogen Damage, 8-71

HYDROGEN SULFIDE
Biological Attack on Nuclear Facilities, 10-55
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Control of Biological Attack on Concrete, 10-45
Evaluating Equipment for Wet H_2S Service, 6-59
Ferritic Stainless Steel, When to Use, 9-52
Glass FRP Line Pipe for Oilfield Service, 8-64
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Industrial Plant Steam Purity Problems, 5-45
Waste-Water Facilities Problems Case History, 9-43

HYDROSTATIC TESTING
Biological Attack on Nuclear Facilities, 10-55
Glass FRP Line Pipe for Oilfield Service, 8-64

IMMERSION, ACCELERATED LAB TESTING
CMA, NaCl Tests as Deicing Salts, 12-24
Offshore Structure Accelerated Coating Testing, 11-31
Pipeline Coating Removal, Surface Preparation, 4-22
Solvent Influence on Organic Coating Blisters, 7-35

IMPACT EFFECTS
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Nondestructive Detection of Hydrogen Damage, 8-71
Variables Affecting Coatings Application, 10-28

IMPINGEMENT, CAUSES
Liquid Mercury Embrittlement of Aluminum, 2-62

IMPRESSED CURRENT CATHODIC PROTECTION
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection of Ductile-Iron Pipe, 8-25
Coke Breeze Groundbed Backfill Evaluation, 7-14
Concrete Bridge Deck, Substructure Protection, 10-11
Conductive Polymer Panel for CP of Piling, 9-24
CP of Pipeline in High-Resistivity Soils, 2-23
Impressed Current Cathodic Protection Anodes Underground, 1-17
Lake Maracaibo Pipe Control Statistics, 5-18
Leak Prevention for Underground Tanks, 7-28
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

INCINERATION, WASTE DISPOSAL
Control of Biological Attack on Concrete, 10-45
Materials for 1000°C Incinerator Offgas, 11-62
Waste Incinerator Gas vs Alloys 825, 625, 12-41

INCLUSIONS
Biological Attack on Nuclear Facilities, 10-55
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
Miniature Samples Aid Service Life Prediction, 7-77
Paper Mill White Water Attack on Stainless Steel, 11-68

INFORMATION SYSTEMS
Coatings Batch Identification Importance, 7-43
Computer Systems for Materials Selection, 11-58
Unexpected Consequences Corrosion Factor, 7-70

INFRASTRUCTURE PROBLEMS
Unexpected Consequences Corrosion Factor, 7-70

INHIBITORS
Basics—Cathodic Inhibitors, 8-50
Basics-Oilfield Inhibitor Applications, 1-57
CMA, NaCl Tests as Deicing Salts, 12-24
Consequences of Boiler Water Treatment Upset, 12-49
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Economics of Advanced Coatings Systems, 2-29
Evaluating Equipment for Wet H_2S Service, 6-59
Galvanic Corrosion of Heat Exchangers, 1-67
Glass FRP Line Pipe for Oilfield Service, 8-64
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Hot Phenol Corrosion of Aluminum Tank, 6-56
Inhibitor Use in Wet Blasting Challenged, 7-7
Inhibitors for Steel-Reinforced Concrete, 10-41
New Coatings Meet VOC and Lead-Free Rule, 12-17
Ohmic and Organic Inhibitor Fundamentals, 9-51
Persistence of Inhibitor Films in CO_2, 3-87
Pipeline Coating Removal, Surface Preparation, 4-22
Precipitation Inhibitors—Basics, 10-51
Review—Gas Well Corrosion Inhibitors, 8-46
Statistics, Practical Application—Part 2, 12-54

INORGANIC-ORGANIC MULTIPHASE MATERIALS
Air Pollution Regs Impact Utility Planning, 5-28
Glass FRP Line Pipe for Oilfield Service, 8-64
Leak Prevention for Underground Tanks, 7-28

INSPECTION
6Q187—Quality Control for Coatings Applications, 3-46
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Coatings Specification Enforcement, 2-23
Design vs Pressure Vessel Transportation Equipment, 1-49
Economics of Advanced Coatings Systems, 2-29
Failure Analysis Fundamentals, 7-83
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

INSTANTANEOUS RATE TESTS
Airframe Sensors Detect Corrosion Rates, 9-82
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50

INSTRUMENTATION, TESTING
Airframe Sensors Detect Corrosion Rates, 9-82
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Coke Breeze Groundbed Backfill Evaluation, 7-14
Concrete Bridge Deck, Substructure Protection, 10-11
CP of Pipeline in High-Resistivity Soils, 2-23
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Liquid Mercury Embrittlement of Aluminum, 2-62
Miniature Samples Aid Service Life Prediction, 7-77
Petroleum Well Casing CP System Evaluation, 8-17
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
Scale Modeling Effects on Corrosion Rate, 11-72

INSULATION
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Ductile-Iron Pipe, 8-25
Stray Current Control by Isolation and Carbon, 9-17

INSURANCE, ECONOMICS
Leak Prevention for Underground Tanks, 7-28

INTERFERENCE, CATHODIC PROTECTION
CP of Pipeline in High-Resistivity Soils, 2-23
Leak Prevention for Underground Tanks, 7-28

INTERGRANULAR, EFFECTS
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Consequences of Boiler Water Treatment Upset, 12-49
Corrosion Damage on Papermaking Equipment, 11-80
Ferritic Stainless Steel, When to Use, 9-52
Hg Cracking of Brass Condensor Tubes, 12-47
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Liquid Mercury Embrittlement of Aluminum, 2-62
Long-Term Stress Relief on Piping Welds, 10-61

Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Nuclear Reactor Materials vs Decontamination, 2-67
Quality Control for High-Nickel Casting, 1-64
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

INTERNAL ATTACK, GENERAL
Consequences of Boiler Water Treatment Upset, 12-49
Petroleum Well Casing CP System Evaluation, 8-17

INTERNAL ATTACK, PIPELINES
Biological Attack on Nuclear Facilities, 10-55
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Stray Current Attack Inside Water Pipe, 11-66

INTERNAL SURFACES CATHODIC PROTECTION
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

ION EXCHANGE, FILTRATION
Industrial Plant Steam Purity Problems, 5-45

ION IMPLANTATION, CONVERSION COATINGS
Materials for 1000°C Incinerator Offgas, 11-62

IRON CHLORIDES
Chloride Attack on Coal-Fired Boiler Walls, 2-41

IRON OXIDES
Inhibitor Use in Wet Blasting Challenged, 7-7
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

IRON SULFIDES, CAUSES
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Low-Velocity Attack by Seawater, 2-46

ISOTOPIC TESTING
Microbes Influence on Attack Underdeposit, 11-46
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

JOINING, CAUSES
Design Fundamentals for FRP, 1-35
Glass FRP Line Pipe for Oilfield Service, 8-64

KETONES
Solvent Influence on Organic Coating Blisters, 7-35

LAMINATES
Coatings for Splash Zone, Subsea Areas, 1-41
Design Fundamentals for FRP, 1-35

LASER, TESTING
Surface Preparation Definitions Clarification, 11-42

LAWS, REGULATIONS
Air Pollution Regs Impact Utility Planning, 5-28
Coatings Industry Federal Regulations, 2-23
Leak Prevention for Underground Tanks, 7-28
New Coatings Meet VOC and Lead-Free Rule, 12-17

LEAD
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Low-Velocity Attack by Seawater, 2-46
New Coatings Meet VOC and Lead-Free Rule, 12-17

LEAKS, MATERIALS EFFECTS
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Biological Attack on Nuclear Facilities, 10-55
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Consequences of Boiler Water Treatment Upset, 12-49
Lake Maracaibo Pipe Control Statistics, 5-18
Leak Prevention for Underground Tanks, 7-28

LEGAL ASPECTS
Litigation Avoidance on Coatings Failures, 3-41

LIGHT, ACCELERATED LAB TESTING
CMA, NaCl Tests as Deicing Salts, 12-24

LIGHTNING, CAUSES
Buried Al, Cu Telephone Cable Shielding, 9-68
CP of Pipeline in High-Resistivity Soils, 2-23

LIGNIN, ORGANIC INHIBITORS
Na Lignosulfate Controls Boiler Cracking, 12-33

LININGS, COATINGS
Control of Biological Attack on Concrete, 10-45
Glass FRP Line Pipe for Oilfield Service, 8-64
Golden Gate Bridge 50-Years Corrosion Control, 10-65
RP0288-88—Steel and Concrete Linings Inspection, 3-50

LININGS, METAL
Air Pollution Regs Impact Utility Planning, 5-28
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

LININGS, ORGANIC
Air Pollution Regs Impact Utility Planning, 5-28
Galvanic Corrosion of Heat Exchangers, 1-67
Leak Prevention for Underground Tanks, 7-28
Long-Term Stress Relief on Piping Welds, 10-61

LIQUID PENETRANT TEST
Quality Control for High-Nickel Casting, 1-64

LOW TEMPERATURES
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Concrete Water Tanks vs Cold Climate, 5-51
Low-Velocity Attack by Seawater, 2-46

MACRO-ORGANISMS
Biological Attack on Nuclear Facilities, 10-55
Lake Maracaibo Pipe Control Statistics, 5-18
Polymer Attack by Borers in Seawater, 10-52

MAGNESIUM CHLORIDE, CAUSES
CMA, NaCl Tests as Deicing Salts, 12-24

MAGNETIC EFFECTS
Biological Attack on Nuclear Facilities, 10-55
Ferritic Stainless Steel, When to Use, 9-52

MAGNETIC PARTICLE TESTS
Evaluating Equipment for Wet H_2S Service, 6-59

MAGNETITE, IRON OXIDE
Consequences of Boiler Water Treatment Upset, 12-49
How to Measure Industrial Boiler Deposit, 1-74
Industrial Plant Steam Purity Problems, 5-45

MALLEABLE, CAST IRON
Nodular Cast-Iron Valves vs Arab Gulf Waters, 8-53

MANGANESE
Consequences of Boiler Water Treatment Upset, 12-49
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53

MANGANESE COATINGS
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

MANHOLES
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Control of Biological Attack on Concrete, 10-45
Controls for Reinforced-Concrete Manhole, 10-17

MARINE ATMOSPHERIC CAUSES
Golden Gate Bridge 50-Years Corrosion Control, 10-65

MASONRY, CERAMICS
Seawater Attack on Steel in Masonry Wall, 12-44

MASTICS, THICK FILM COATINGS
Economics of Advanced Coatings Systems, 2-29
Variables Affecting Coatings Application, 10-28

MECHANICAL SURFACE PREPARATION
Biological Attack on Nuclear Facilities, 10-55
Pipeline Coating Removal, Surface Preparation, 4-22

MELTING, COATINGS APPLICATION
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29

MEMBRANE FILTERS

MERCURY
Hg Cracking of Brass Condensor Tubes, 12-47
Liquid Mercury Embrittlement of Aluminum, 2-62

METAL CLAD METALS
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Guide to High-Temperature Alloys, 5-57
Metal Clad Plates vs Corrosive Environment, 5-70
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

METAL COATINGS
Atmospheric Corrosion Test Review—Part 4, 1-52
Buried Al, Cu Telephone Cable Shielding, 9-68
Glass FRP Line Pipe for Oilfield Service, 8-64
SCC of Carbon Steel in Ammonia, 12-29

METAL OXIDE ANODES
High Current Output Anode Groundbed Planning, 7-22
Impressed Current Cathodic Protection Anodes Underground, 1-17

METAL PIPES
Biological Attack on Nuclear Facilities, 10-55
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection of Ductile-Iron Pipe, 8-25
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Consequences of Boiler Water Treatment Upset, 12-49
Ferritic Stainless Steel, When to Use, 9-52
Glass FRP Line Pipe for Oilfield Service, 8-64
Guide to High-Temperature Alloys, 5-57
Hot Phenol Corrosion of Aluminum Tank, 6-56
How to Measure Industrial Boiler Deposit, 1-74
Improved Design for Corrosion Control, 11-37
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Leak Prevention for Underground Tanks, 7-28
Long-Term Stress Relief on Piping Welds, 10-61
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Oxygen Concentration Cells Underground, 4-74
Stray Current Attack Inside Water Pipe, 11-66
Stray Current Control by Isolation and Carbon, 9-17
Waste Incinerator Gas vs Alloys 825, 625, 12-41

METAL POWDER COATINGS
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59

METAL VAPORS
Liquid Mercury Embrittlement of Aluminum, 2-62

METALLOGRAPHIC TESTS
Atmospheric Corrosion Test Review—Part 4, 1-52
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Nondestructive Detection of Hydrogen Damage, 8-71
Process Equipment Surveillance Development, 6-46
Waste Incinerator Gas vs Alloys 825, 625, 12-41

METALLURGICAL FACTORS
Miniature Samples Aid Service Life Prediction, 7-77
Waste-Water Facilities Problems Case History, 9-43

METHANE, CAUSES
Consequences of Boiler Water Treatment Upset, 12-49

METHYL ALCOHOLS, CAUSES
Leak Prevention for Underground Tanks, 7-28

MICROORGANISMS, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
Lake Maracaibo Pipe Control Statistics, 5-18
Microbes Influence on Attack Underdeposit, 11-46
Microbial Influence on Cathodic Potential in Seawater, 6-17

MICROSCOPIC, OPTICAL INSTRUMENTATION, TESTING
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Atmospheric Corrosion Test Review—Part 4, 1-52
Microbes Influence on Attack Underdeposit, 11-46

MICROSTRUCTURE, METALS
Consequences of Boiler Water Treatment Upset, 12-49
Miniature Samples Aid Service Life Prediction, 7-77
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

MILITARY AIRCRAFT
Metal Fiber Patches for Aircraft Cracks, 7-69

MOLYBDATE INHIBITORS
Analysis of Attack on Galvanized Cooling Towers, 9-47

MOLYBDENUM
Ferritic Stainless Steel, When to Use, 9-52
Guide to High-Temperature Alloys, 5-57
Materials for 1000°C Incinerator Offgas, 11-62
Paper Mill White Water Attack on Stainless Steel, 11-68

MORPHOLOGY, PITTING
Microbes Influence on Attack Underdeposit, 11-46

MORTAR, CONCRETE
Lake Maracaibo Pipe Control Statistics, 5-18

MUD, CAUSES
High Current Output Anode Groundbed Planning, 7-22

MULTIPHASE COATINGS
Leak Prevention for Underground Tanks, 7-28

MULTIPHASE OR MIXTURES
Design Fundamentals for FRP, 1-35
Evaluating Equipment for Wet H_2S Service, 6-59

NACE STANDARDS AND REPORTS
6Q187—Quality Control for Coatings Applications, 3-46
Evaluating Equipment for Wet H_2S Service, 6-59
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
RP0288-88—Steel and Concrete Linings Inspection, 3-50
Surface Preparation Standards Rationalization, 5-38
Surface Preparation Definitions Clarification, 11-42
Variables Affecting Coatings Application, 10-28

NACE TEST METHODS
Basics-Oilfield Inhibitor Applications, 1-57
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Petroleum Well Casing CP System Evaluation, 8-17

NATURAL GAS
Glass FRP Line Pipe for Oilfield Service, 8-64
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
Liquid Mercury Embrittlement of Aluminum, 2-62
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Review—Gas Well Corrosion Inhibitors, 8-46
Stray Current Control by Isolation and Carbon, 9-17

NI-RESIST TYPE CAST IRON
Nodular Cast-Iron Valves vs Arab Gulf Water, 8-53

NICKEL
Consequences of Boiler Water Treatment Upset, 12-49
Guide to High-Temperature Alloys, 5-57
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

NICKEL ALLOYS, OTHER
Biological Attack on Nuclear Facilities, 10-55
Materials for 1000°C Incinerator Offgas, 11-62

NICKEL-CHROMIUM-IRON ALLOYS
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

NICKEL-CHROMIUM-MO-W-ALLOYS
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57

NICKEL-CHROMIUM-MOLYBDENUM ALLOYS
Quality Control for High-Nickel Casting, 1-64

NITRATES, BASES AND SALTS, CAUSES
Industrial Plant Steam Purity Problems, 5-45
Waste-Water Facilities Problems Case History, 9-43

NITRIC ACIDS, CAUSES
Ferritic Stainless Steel, When to Use, 9-52
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60

NITRITE INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41

NITROGEN COMPOUNDS, INHIBITORS
Basics-Oilfield Inhibitor Applications, 1-57
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Industrial Plant Steam Purity Problems, 5-45
Review—Gas Well Corrosion Inhibitors, 8-46

NITROGEN, CAUSES
Low-Velocity Attack by Seawater, 2-46
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53

NONDESTRUCTIVE TESTING
Nondestructive Detection of Hydrogen Damage, 8-71

NONMETAL PIPES
Design Fundamentals for FRP, 1-35
Glass FRP Line Pipe for Oilfield Service, 8-64

NONMETALLIC COATINGS, APPLICATION
6Q187—Quality Control for Coatings Applications, 3-46
Variables Affecting Coatings Application, 10-28

NUCLEAR REACTORS
Biological Attack on Nuclear Facilities, 10-55
Microbes Influence on Attack Underdeposit, 11-46
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Nuclear Reactor Materials vs Decontamination, 2-67

OCEAN THERMAL ENERGY SOURCES
Low-Velocity Attack by Seawater, 2-46

OFFSHORE OIL PETROLEUM WELLS
Coatings for Splash Zone, Subsea Areas, 1-41
Glass FRP Line Pipe for Oilfield Service, 8-64
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Offshore Structure Accelerated Coating Testing, 11-31

OIL-SOLUBLE INHIBITORS
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41

OIL WELLS
Evaluating Equipment for Wet H_2S Service, 6-59
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Petroleum Well Casing CP System Evaluation, 8-17

ON-SITE OR PILOT PLANT TESTING
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Merits of Materials Selection Tests, 3-77
Microbes Influence on Attack Underdeposit, 11-46
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31
Waste Incinerator Gas vs Alloys 825, 625, 12-41

OPERATIONAL GUIDES
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

OPTICAL NONDESTRUCTIVE TESTING
Atmospheric Corrosion Test Review—Part 4, 1-52
Biological Attack on Nuclear Facilities, 10-55
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Surface Preparation Definitions Clarification, 11-42

ORGANIC COATINGS
Biological Attack on Nuclear Facilities, 10-55
Buried Al, Cu Telephone Cable Shielding, 9-68
Coatings for Splash Zone, Subsea Areas, 1-41
Curing Time Critical for Coatings Performance, 12-21
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Economics of Advanced Coatings Systems, 2-29
Immersed Coatings Blistering by Cathodic Protection, 9-31
Pipeline Coating Defect, Potential Tests, 4-17
Relative Humidity Influence on Coatings, 5-38
Silicones and Other High-Temperature Coating, 5-33
Solvent Influence on Organic Coating Blisters, 7-35

Stainless Steel Attacks—Case History, 2-65
Variables Affecting Coatings Application, 10-28

ORGANIC INHIBITORS
Basics-Oilfield Inhibitor Applications, 1-57
Ohmic and Organic Inhibitor Fundamentals, 9-51

OSMOSIS
Offshore Structure Accelerated Coating Testing, 11-31
Solvent Influence on Organic Coating Blisters, 7-35

OXALIC ACIDS
Ferritic Stainless Steel, When to Use, 9-52
Nuclear Reactor Materials vs Decontamination, 2-67
Sensitization Tests on CF, CFM Cast Alloy, 5-52

OXIDATION
Computer Access to High-Temperature Alloy Information, 1-69
Curing Time Critical for Coatings Performance, 12-21
Ferritic Stainless Steel, When to Use, 9-52
Guide to High-Temperature Alloys, 5-57
Immersed Coatings Blistering by Cathodic Protection, 9-31
Impressed Current Cathodic Protection Anodes Underground, 1-17
Inhibitor Basics—Anodic Passivation, 7-57
Microbial Influence on Cathodic Potential in Seawater, 6-17
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Offshore Structure Accelerated Coating Testing, 11-31
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Stainless-Steel Attacks—Case History, 2-65

OXIDES, BASES AND SALTS
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Impressed Current Cathodic Protection Anodes Underground, 1-17

OXYGEN, CAUSES
Biological Attack on Nuclear Facilities, 10-55
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Galvanic Corrosion of Heat Exchangers, 1-67
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Lake Maracaibo Pipe Control Statistics, 5-18
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
N Purging of Duplex Pipe for Hot Bending, 6-53
Oxygen Concentration Cells Underground, 4-74
Precipitation Inhibitors—Basics, 10-51
SCC of Carbon Steel in Ammonia, 12-29
Solvent Influence on Organic Coating Blisters, 7-35

OZONE, CAUSES
New Coatings Meet VOC and Lead-Free Rule, 12-17

PAPER INDUSTRY
Corrosion Damage on Papermaking Equipment, 11-80

PARTICULATES
Low-Velocity Attack by Seawater, 2-46

PASSIVATION
Anodic Protection Fundamentals, 9-28
Inhibitor Basics—Anodic Passivation, 7-57
Microbial Influence on Cathodic Potential in Seawater, 6-17
Ohmic and Organic Inhibitor Fundamentals, 9-51
Review—Gas Well Corrosion Inhibitors, 8-46

PEENING, SURFACE PREPARATION
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61

PERFORATION
Automotive Corrosion by Deicing Salts, 12-56
Biologically Induced Pitting in 904 L, 5-57
CP of Pipeline in High-Resistivity Soils, 2-23
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39

PERMEABILITY, MATERIALS
Controls for Reinforced-Concrete Manhole, 10-17
Inhibitors for Steel-Reinforced Concrete, 10-41

PERMEATION EFFECTS
Basics-Oilfield Inhibitor Applications, 1-57
Concrete Water Tanks vs Cold Climate, 5-51
Immersed Coatings Blistering by Cathodic Protection, 9-31
Ohmic and Organic Inhibitor Fundamentals, 9-51
Solvent Influence on Organic Coating Blisters, 7-35
Vapor Transport Tests on Electronic Box Seal, 6-30

PERSISTENCE, INHIBITOR
Ohmic and Organic Inhibitor Fundamentals, 9-51

PETROCHEMICAL INDUSTRIES
High-Temperature Cracking of Low Cr-Mo Steel, 12-35

PETROLEUM
Basics-Oilfield Inhibitor Applications, 1-57
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Materials for 1000°C Incinerator Offgas, 11-62
Nondestructive Detection of Hydrogen Damage, 8-71

PETROLEUM OR GAS WELLHEADS
Glass FRP Line Pipe for Oilfield Service, 8-64
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59

PH CHANGES, EFFECTS
Analysis of Attack on Galvanized Cooling Towers, 9-47
Buried Al, Cu Telephone Cable Shielding, 9-68
CO_2 + H_2 vs Fe-Cr-Mo Steels at High Pressure, 8-63
Control of Biological Attack on Concrete, 10-45
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Immersed Coatings Blistering by Cathodic Protection, 9-31
Industrial Plant Steam Purity Problems, 5-45
Inhibitors for Steel-Reinforced Concrete, 10-41
Low-Velocity Attack by Seawater, 2-46
Microbes Influence on Attack Underdeposit, 11-46
Petroleum Well Casing CP System Evaluation, 8-17
Polymer Control for Cooling Water Scales, 5-41
Seawater Attack on Steel in Masonry Wall, 12-44

PHASE EFFECTS
Biological Attack on Nuclear Facilities, 10-55
Ferritic Stainless Steel, When to Use, 9-52
Microbes Influence on Attack Underdeposit, 11-46
Nondestructive Detection of Hydrogen Damage, 8-71
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Solvent Influence on Organic Coating Blisters, 7-35

PHENOLIC ACIDS
Hot Phenol Corrosion of Aluminum Tank, 6-56

PHOSPHATE INHIBITORS
Basics—Cathodic Inhibitors, 8-50
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Precipitation Inhibitors—Basics, 10-51
Review—Gas Well Corrosion Inhibitors, 8-46

PHOSPHATES, BASES AND SALTS, CAUSES
Industrial Plant Steam Purity Problems, 5-45

PHOSPHONATE INHIBITORS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Review—Gas Well Corrosion Inhibitors, 8-46

PHOSPHORIC ACIDS
Computer Systems for Materials Selection, 11-58

PHOSPHORUS
Consequences of Boiler Water Treatment Upset, 12-49
Low-Velocity Attack by Seawater, 2-46
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

PHOTOCURRENTS
Offshore Structure Accelerated Coating Testing, 11-31

PHOTOGRAPHIC NONDESTRUCTIVE TESTING
Atmospheric Corrosion Test Review—Part 4, 1-52
Microbes Influence on Attack Underdeposit, 11-46

PIERS
Concrete Bridge Deck, Substructure Protection, 10-11

PIGGING, CLEANING
Glass FRP Line Pipe for Oilfield Service, 8-64
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50

PILING
Conductive Polymer Panel for CP of Piling, 9-24

PIPELINES TRANSPORTATION
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Computer Aids for Metal Corrosion Control, 5-13
CP of Pipeline in High-Resistivity Soils, 2-23
Evaluating Equipment for Wet H_2S Service, 6-59
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
Lake Maracaibo Pipe Control Statistics, 5-18
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Pipeline Coating Defect, Potential Tests, 4-17
Pipeline Coating Removal, Surface Preparation, 4-22
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
Stray Current Control by Isolation and Carbon, 9-17

PIPES
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

PITTING
Atmospheric Corrosion Test Review—Part 4, 1-52
Automotive Corrosion by Deicing Salts, 12-56
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
Buried Al, Cu Telephone Cable Shielding, 9-68
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11

Cathodic Protection of Ductile-Iron Pipe, 8-25
Corrosion Damage on Papermaking Equipment, 11-80
CO_2 + H_2 vs Fe-Cr-Mo Steels at High Pressure, 8-63
Ferritic Stainless Steel, When to Use, 9-52
Glass FRP Line Pipe for Oilfield Service, 8-64
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Lake Maracaibo Pipe Control Statistics, 5-18
Low-Velocity Attack by Seawater, 2-46
Metal Clad Plates vs Corrosive Environment, 5-70
Microbes Influence on Attack Underdeposit, 11-46
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Paper Mill White Water Attack on Stainless Steel, 11-68
Retained Hydrotest Water Tank Pit, 7-68
Review—Gas Well Corrosion Inhibitors, 8-46
Waste-Water Facilities Problems Case History, 9-43

PLASMA SPRAY APPLICATION
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

PLATINUM
CP of Pipeline in High-Resistivity Soils, 2-23
Impressed Current Cathodic Protection Anodes Underground, 1-17
Lake Maracaibo Pipe Control Statistics, 5-18
Microbial Influence on Cathodic Potential in Seawater, 6-17

POISONS
Coatings Industry Federal Regulations, 2-23
New Coatings Meet VOC and Lead-Free Rule, 12-17

POISSON FACTORS
Design Fundamentals for FRP, 1-35

POLARIZATION
Cathodic Protection of Ductile-Iron Pipe, 8-25
Concrete Bridge Deck, Substructure Protection, 10-11
CP of Pipeline in High-Resistivity Soils, 2-23
Galvanic Corrosion of Heat Exchangers, 1-67
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Petroleum Well Casing CP System Evaluation, 8-17
Scale Modeling Effects on Corrosion Rate, 11-72

POLLUTED AQUEOUS ENVIRONMENTS, CAUSES
Nodular Cast-Iron Valves vs Arab Gulf Water, 8-53
Polymer Attack by Borers in Seawater, 10-52

POLLUTED ATMOSPHERES, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28
New Coatings Meet VOC and Lead-Free Rule, 12-17

POLYAMIDES, THIN FILM COATINGS
Solvent Influence on Organic Coating Blisters, 7-35

POLYESTERS, POLYMERIC MATERIALS
Conductive Polymer Panel for CP of Piling, 9-24
Glass FRP Line Pipe for Oilfield Service, 8-64
Leak Prevention for Underground Tanks, 7-28

POLYESTERS, THIN FILM COATINGS
Air Pollution Regs Impact Utility Planning, 5-28

POLYETHYLENE, POLYMERIC MATERIALS
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Ductile-Iron Pipe, 8-25
Lake Maracaibo Pipe Control Statistics, 5-18

POLYETHYLENE, THIN FILM COATINGS
Leak Prevention for Underground Tanks, 7-28

POLYMERIC CONCRETE COATINGS
Concrete Water Tanks vs Cold Climate, 5-51

POLYMERIC INHIBITORS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Polymer Control for Cooling Water Scales, 5-41

POLYMERIC MATERIALS
Improved Design for Corrosion Control, 11-37
Materials for 1000°C Incinerator Offgas, 11-62
Polymer Attack by Borers in Seawater, 10-52

POLYVINYLCHLORIDE COATINGS
Leak Prevention for Underground Tanks, 7-28

POROSITY, COATINGS
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Immersed Coatings Blistering by Cathodic Protection, 9-31

POTABLE WATER
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

POTASSIUM INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41

POTENTIAL TESTS
Computer Aids for Metal Corrosion Control, 5-13
Conductive Polymer Panel for CP of Piling, 9-24
Controls for Reinforced-Concrete Manhole, 10-17
CP of Pipeline in High-Resistivity Soils, 2-23
Microbial Influence on Cathodic Potential in Seawater, 6-17
Petroleum Well Casing CP System Evaluation, 8-17
Pipeline Coating Defect, Potential Tests, 4-17
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
SCC of Carbon Steel in Ammonia, 12-29
Seawater Attack on Steel in Masonry Wall, 12-44
Stray Current Control by Isolation and Carbon, 9-17

POTENTIALS, LAB TESTING
Low-Velocity Attack by Seawater, 2-46
Scale Modeling Effects on Corrosion Rate, 11-72

POTENTIALS, UNDERGROUND TESTING
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection of Ductile-Iron Pipe, 8-25
Leak Prevention for Underground Tanks, 7-28
Pipeline Coating Defect, Potential Tests, 4-17

POTENTIODYNAMIC LAB TESTS
Paper Mill White Water Attack on Stainless Steel, 11-68

PRE- OR POSTSTRESSED REINFORCED HYDRAULIC CONCRETE
Concrete Bridge Deck, Substructure Protection, 10-11

PRECIPITATES
Basics—Cathodic Inhibitors, 8-50
Ferritic Stainless Steel, When to Use, 9-52

PREDICTIVE CALCULATIONS
Air Pollution Regs Impact Utility Planning, 5-28
Causes of Repeated Corrosion Failures, 8-75
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Computer Access to High-Temperature Alloy Information, 1-69
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Evaluating Equipment for Wet H_2S Service, 6-59
Glass FRP Line Pipe for Oilfield Service, 8-64
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Merits of Materials Selection Tests, 3-77
Miniature Samples Aid Service Life Prediction, 7-77
Process Equipment Surveillance Development, 6-46
Seawater Attack on Steel in Masonry Wall, 12-44
Unexpected Consequences Corrosion Factor, 7-70
Vapor Transport Tests on Electronic Box Seal, 6-30

PRESSURE VESSELS
Design vs Pressure Vessel Transportation Equipment, 1-49
Evaluating Equipment for Wet H_2S Service, 6-59
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53

PRESSURE
Concrete Water Tanks vs Cold Climate, 5-51
Design Fundamentals for FRP, 1-35
Glass FRP Line Pipe for Oilfield Service, 8-64
Review—Gas Well Corrosion Inhibitors, 8-46

PRESSURE, HIGH
Alkaline Cracking of Carbon Steel, 5-68
CO_2 + H_2 vs Fe-Cr-Mo Steels at High Pressure, 8-63
Consequences of Boiler Water Treatment Upset, 12-49
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Glass FRP Line Pipe for Oilfield Service, 8-64
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Part 2—Steel vs Aqueous CO_2 Environment, 5-46

PRIMERS, INORGANIC
Silicones and Other High-Temperature Coating, 5-33

PRIMERS, ORGANIC NONMETALLIC COATINGS
Curing Time Critical for Coatings Performance, 12-21
Economics of Advanced Coatings Systems, 2-29
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Improved Design for Corrosion Control, 11-37
New Coatings Meet VOC and Lead-Free Rule, 12-17

PRODUCTION, PETROLEUM
Basics-Oilfield Inhibitor Applications, 1-57
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Glass FRP Line Pipe for Oilfield Service, 8-64

PROFILE REPLICATION BY TAPE
Pipeline Coating Removal, Surface Preparation, 4-22

PROFILE, SURFACE GEOMETRY
Atmospheric Corrosion Test Review—Part 4, 1-52
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Variables Affecting Coatings Application, 10-28

PROGRAMS, COMPUTER

Computer Aids for Metal Corrosion Control, 5-13
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21

PROPELLERS
Coatings Enhance CP on Ship Propellers, 3-21

PROXIMITY EFFECTS, GROUNDBED
Cathodic Protection Weighted, Immersed Pipeline, 11-15

PSYCHROMOMETRIC CHART
Desiccant Dehumidifier Cuts Coatings Time, 8-32

PUMPS
Waste-Water Facilities Problems Case History, 9-43

PYRAZOLE INHIBITORS
Inhibitors for Steel-Reinforced Concrete, 10-41

QUALITY CONTROL
6Q187—Quality Control for Coatings Applications, 3-46
Coatings Quality Test Methods, 5-39
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Quality Control for High-Nickel Casting, 1-64
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21

QUALITY EVALUATION OF DATA
Computer Access to High-Temperature Alloy Information, 1-69
Offshore Structure Accelerated Coating Testing, 11-31
Product Data Sheet Precautions, 6-37

QUANTITATIVE ANALYSIS
Atmospheric Corrosion Test Review—Part 4, 1-52
Statistics, Practical Application—Part 2, 12-54

RADIOACTIVE WASTE CONTROL
Materials for 1000°C Incinerator Offgas, 11-62

RAILROAD SUBSTATIONS, ELECTRICAL
Stray Current Control by Isolation and Carbon, 9-17

RAIN CAUSES
Design vs Pressure Vessel Transportation Equipment, 1-49

RARE ELEMENTS, OTHER
Guide to High-Temperature Alloys, 5-57

RATE OR ZONE CALCULATIONS
Analysis of Attack on Galvanized Cooling Towers, 9-47
Buried Al, Cu Telephone Cable Shielding, 9-68
CMA, NaCl Tests as Deicing Salts, 12-24
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Coke Breeze Groundbed Backfill Evaluation, 7-14
Computer Access to High-Temperature Alloy Information, 1-69
Computer Aids for Metal Corrosion Control, 5-13
Concrete Water Tanks vs Cold Climate, 5-51
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Guide to High-Temperature Alloys, 5-57
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Inhibition of Wet Gas CO_2 Attack by Glycol In, 7-50
Lake Maracaibo Pipe Control Statistics, 5-18
Low-Velocity Attack by Seawater, 2-46
Materials for 1000°C Incinerator Offgas, 11-62
Metal Clad Plates vs Corrosive Environment, 5-70
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Nodular Cast-Iron Valves vs Arab Gulf Water, 8-53
Nuclear Reactor Materials vs Decontamination, 2-67
Offshore Structure Accelerated Coating Testing, 11-31
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Practical Application of Statistics, 10-71
Review—Gas Well Corrosion Inhibitors, 8-46
Scale Modeling Effects on Corrosion Rate, 11-72
Seawater Attack on Steel in Masonry Wall, 12-44
Statistics, Practical Application—Part 2, 12-54
Waste Incinerator Gas vs Alloys 825, 625, 12-41

RECOMMENDED PRACTICES
Petroleum Well Casing CP System Evaluation, 8-17

RECORDS, DATABASES
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Causes of Repeated Corrosion Failures, 8-75
Computer Access to High-Temperature Alloy Information, 1-69
Lake Maracaibo Pipe Control Statistics, 5-18
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38
Stray Current Control by Isolation and Carbon, 9-17

RECTIFIERS
Cathodic Protection Weighted, Immersed Pipeline, 11-15
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

REFINING, PETROLEUM
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Petroleum Refinery Overview, 8-62

REFRACTORIES
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Materials for 1000°C Incinerator Offgas, 11-62
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

REMOTE CONTROL VEHICLE TESTING
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21

REPAIR PROCEDURES, COATINGS
Economics of Advanced Coatings Systems, 2-29
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Pipeline Coating Defect, Potential Tests, 4-17

RESIDUAL STRESSES, CAUSES
Evaluating Equipment for Wet H_2S Service, 6-59
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
In Situ Stress Relief Steam Boiler U-Bends, 2-73

RESISTIVITIES
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection of Ductile-Iron Pipe, 8-25
Coke Breeze Groundbed Backfill Evaluation, 7-14
Concrete Bridge Deck, Substructure Protection, 10-11
CP of Pipeline in High-Resistivity Soils, 2-23
High Current Output Anode Groundbed Planning, 7-22
Stray Current Attack Inside Water Pipe, 11-66

REVIEWS
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Inhibitors for Steel-Reinforced Concrete, 10-41
Microbes Influence on Attack Underdeposit, 11-46
Review—Gas Well Corrosion Inhibitors, 8-46
Scale Modeling Effects on Corrosion Rate, 11-72

RIGS, WELL DRILLING
Flame-Sprayed Al Performance on Oil Platforms, 9-34

RIVETS
Golden Gate Bridge 50-Years Corrosion Control, 10-65

RODENTS, IMPACT ON SYSTEMS
Buried Al, Cu Telephone Cable Shielding, 9-68

ROLLER APPLICATION, NONMETALLIC COATINGS
Variables Affecting Coatings Application, 10-28

ROTATING DISK COUPON TEST
Scale Modeling Effects on Corrosion Rate, 11-72

SAFETY
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Coatings Industry Federal Regulations, 2-23
Design Fundamentals for FRP, 1-35
Failure Analysis Fundamentals, 7-83
How to Measure Industrial Boiler Deposit, 1-74
Leak Prevention for Underground Tanks, 7-28
Silicones and Other High-Temperature Coating, 5-33

SALT FOG OR SPRAY, TESTING
Offshore Structure Accelerated Coating Testing, 11-31
Solvent Influence on Organic Coating Blisters, 7-35
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

SALT, AQUEOUS, CAUSES
Controls for Reinforced-Concrete Manhole, 10-17
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Glass FRP Line Pipe for Oilfield Service, 8-64
Impressed Current Cathodic Protection Anodes Underground, 1-17
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50
Offshore Structure Accelerated Coating Testing, 11-31
Precipitation Inhibitors—Basics, 10-51

SAMPLING TECHNIQUES
Biological Attack on Nuclear Facilities, 10-55
Failure Analysis Fundamentals, 7-83
Miniature Samples Aid Service Life Prediction, 7-77
Practical Application of Statistics, 10-71
Statistics, Practical Application—Part 2, 12-54

SAND BLASTING, SURFACE PREPARATION
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Leak Prevention for Underground Tanks, 7-28
Variables Affecting Coatings Application, 10-28

SCALE OR RATIO EFFECTS
Glass FRP Line Pipe for Oilfield Service, 8-64
Scale Modeling Effects on Corrosion Rate, 11-72

SCRAPERS, SURFACE PREPARATION EQUIPMENT
How to Measure Industrial Boiler Deposit, 1-74

SCREW JOINTS, FIELD ASSEMBLY
Glass FRP Line Pipe for Oilfield Service, 8-64

SEA AQUEOUS
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
Coatings for Splash Zone, Subsea Areas, 1-41
Conductive Polymer Panel for CP of Piling, 9-24

Ferritic Stainless Steel, When to Use, 9-52
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Lake Maracaibo Pipe Control Statistics, 5-18
Localized Attack Under Biofouling, 3-71
Low-Velocity Attack by Seawater, 2-46
Microbial Influence on Cathodic Potential in Seawater, 6-17
Nodular Cast-Iron Valves vs Arab Gulf Water, 8-53
Polymer Attack by Borers in Seawater, 10-52
Seawater Attack on Steel in Masonry Wall, 12-44
Seawater Flow Calcareous Deposits Influence on CP, 3-29

SEALS
Concrete Bridge Deck, Substructure Protection, 10-11
Unexpected Consequences Corrosion Factor, 7-70
Vapor Transport Tests on Electronic Box Seal, 6-30

SEGREGATIONS, METAL INTERNAL
Miniature Samples Aid Service Life Prediction, 7-77
Nuclear Reactor Materials vs Decontamination, 2-67
Sensitization Tests on CF, CFM Cast Alloy, 5-52

SENSITIZATION
Guide to High-Temperature Alloys, 5-57
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

SEWAGE CAUSES
Control of Biological Attack on Concrete, 10-45

SHIPS
Scale Modeling Effects on Corrosion Rate, 11-72
Coatings Enhance CP on Ship Propellers, 3-21

SHOT BLASTING, SURFACE PREPARATION
Variables Affecting Coatings Application, 10-28

SILICA, NOT GLASS
Control of Biological Attack on Concrete, 10-45
Industrial Plant Steam Purity Problems, 5-45
Inhibitors for Steel-Reinforced Concrete, 10-41
Silicones and Other High-Temperature Coating, 5-33

SILICATE INHIBITORS
Basics—Cathodic Inhibitors, 8-50
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Precipitation Inhibitors—Basics, 10-51

SILICON
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

SILICONES THIN FILM COATINGS
Economics of Advanced Coatings Systems, 2-29
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Silicones and Other High-Temperature Coating, 5-33

SLEEVES, HEAT-SHRINKABLE COATINGS
Coatings for Splash Zone, Subsea Areas, 1-41

SLOW STRAIN RATE TESTS
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59

SLUDGE
Air Pollution Regs Impact Utility Planning, 5-28
Control of Biological Attack on Concrete, 10-45
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39

SLURRIES
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

SODIUM
Alkaline Cracking of Carbon Steel, 5-68
Automotive Corrosion by Deicing Salts, 12-56
Basics—Cathodic Inhibitors, 8-50
Biological Attack on Nuclear Facilities, 10-55
Biologically Induced Pitting in 904 L, 5-57
CMA, NaCl Tests as Deicing Salts, 12-24
Computer Systems for Materials Selection, 11-58
Ferritic Stainless Steel, When to Use, 9-52
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Industrial Plant Steam Purity Problems, 5-45
Inhibitors for Steel-Reinforced Concrete, 10-41
Long-Term Stress Relief on Piping Welds, 10-61
Na Lignosulfate Controls Boiler Cracking, 12-33
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Paper Mill White Water Attack on Stainless Steel, 11-68
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Precipitation Inhibitors—Basics, 10-51

SOIL AND WATER SURVEYS, CATHODIC PROTECTION
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Cathodic Protection of Ductile-Iron Pipe, 8-25
Pipeline Coating Defect, Potential Tests, 4-17

SOIL BOX RESISTIVITY TEST
Cathodic Protection of Ductile-Iron Pipe, 8-25

SOILS
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Ductile-Iron Pipe, 8-25
Leak Prevention for Underground Tanks, 7-28

SOLAR HEAT EXCHANGERS
Ferritic Stainless Steel, When to Use, 9-52

SOLID SPRAY APPLICATION, NONMETALLIC COATINGS
Variables Affecting Coatings Application, 10-28

SOLVENT BASE COATINGS
New Coatings Meet VOC and Lead-Free Rule, 12-17
Solvent Influence on Organic Coating Blisters, 7-35

SOLVENTS
Materials for 1000°C Incinerator Offgas, 11-62
New Coatings Meet VOC and Lead-Free Rule, 12-17
Solvent Influence on Organic Coating Blisters, 7-35

SPECIFICATIONS
Al Tank Failure Due to Wrong Welding Alloy, 9-66
Coatings Specification Enforcement, 2-23
Economics of Advanced Coatings Systems, 2-29
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
New Coatings Meet VOC and Lead-Free Rule, 12-17
Quality Control for High-Nickel Casting, 1-64
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21
Training Protocol Preceding Coatings Application, 9-40

SPECIMEN PREPARATION TESTING
Atmospheric Corrosion Test Review—Part 4, 1-52
Offshore Structure Accelerated Coating Testing, 11-31

SPECTROMETRIC TESTS
Microbes Influence on Attack Underdeposit, 11-46
Miniature Samples Aid Service Life Prediction, 7-77
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Seawater Attack on Steel in Masonry Wall, 12-44

SPLASH ZONE EFFECTS
Coatings for Splash Zone, Subsea Areas, 1-41
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Lake Maracaibo Pipe Control Statistics, 5-18

SPRAY APPLICATION OF NONMETALLIC COATINGS
Concrete Water Tanks vs Cold Climate, 5-51
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Leak Prevention for Underground Tanks, 7-28
Variables Affecting Coatings Application, 10-28

SQUEEZE INJECTION, INHIBITORS
Review—Gas Well Corrosion Inhibitors, 8-46

STANDARDS
Bolt Identification Regulations, 11-8
Glass FRP Line Pipe for Oilfield Service, 8-64
Inhibitors for Steel-Reinforced Concrete, 10-41

STEAM
Alkaline Cracking of Carbon Steel, 5-68
Consequences of Boiler Water Treatment Upset, 12-49
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Industrial Plant Steam Purity Problems, 5-45
Long-Term Stress Relief on Piping Welds, 10-61
Miniature Samples Aid Service Life Prediction, 7-77

STEEL-REINFORCED HYDRAULIC CONCRETE
CMA, NaCl Tests as Deicing Salts, 12-24
Concrete Bridge Deck, Substructure Protection, 10-11
Concrete Water Tanks vs Cold Climate, 5-51
Conductive Polymer Panel for CP of Piling, 9-24
Control of Biological Attack on Concrete, 10-45
Controls for Reinforced-Concrete Manhole, 10-17
CP of Pipeline in High-Resistivity Soils, 2-23
Hydraulic Concrete—Basics, 10-62
Inhibitors for Steel-Reinforced Concrete, 10-41
Lake Maracaibo Pipe Control Statistics, 5-18
Seawater Attack on Steel in Masonry Wall, 12-44

STEELS, CAST CR-NI
Corrosion Damage on Papermaking Equipment, 11-80
Guide to High-Temperature Alloys, 5-57
Quality Control for High-Nickel Casting, 1-64
Sensitization Tests on CF, CFM Cast Alloy, 5-52

STEELS, CHROMIUM-NICKEL
Automotive Corrosion by Deicing Salts, 12-56
Guide to High-Temperature Alloys, 5-57
Materials for 1000°C Incinerator Offgas, 11-62
Microbes Influence on Attack Underdeposit, 11-46
Paper Mill White Water Attack on Stainless Steel, 11-68

STEELS, CHROMIUM-NICKEL, AUSTENITE
Galvanic Corrosion of Heat Exchangers, 1-67
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
Metal Clad Plates vs Corrosive Environment, 5-70

Continued on page 81

Continued from page 74

STEELS, CHROMIUM-NICKEL, AUSTENITE, TYPES 304, 304L
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Glass FRP Line Pipe for Oilfield Service, 8-64
Low-Velocity Attack by Seawater, 2-46
Nitric Acid Grade 304L Stainless Steel—Huey Test, 2-60
Nuclear Reactor Materials vs Decontamination, 2-67
Retained Hydrotest Water Tank Pit, 7-68

STEELS, CHROMIUM-NICKEL, AUSTENITE, TYPES 310, 310S
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Special ELC 304, 310, 690 vs NHO_3, HF, 9-58

STEELS, CHROMIUM-NICKEL, AUSTENITE, TYPES 316, 316L
Corrosion Damage on Papermaking Equipment, 11-80
Low-Velocity Attack by Seawater, 2-46
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Paper Mill White Water Attack on Stainless Steel, 11-68
Waste Incinerator Gas vs Alloys 825, 625, 12-41

STEELS, CHROMIUM-NICKEL, AUSTENITE, TYPE 317
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

STEELS, CHROMIUM, FERRITIC
Ferritic Stainless Steel, When to Use, 9-52
Materials for 1000°C Incinerator Offgas, 11-62

STEELS, CHROMIUM, MARTENSITIC
Automotive Corrosion by Deicing Salts, 12-56
Nuclear Reactor Materials vs Decontamination, 2-67
Stainless Steel Attacks—Case History, 2-65

STEELS, CR NI FE, PRECIP. HARDENING
Biologically Induced Pitting in 904 L, 5-57

STEELS, CR NI MO, PRECIP. HARDENING
Waste Incinerator Gas vs Alloys 825, 625, 12-41

STEELS, FERRITIC-AUSTENITIC
Metal Clad Plates vs Corrosive Environment, 5-70

STEELS, NI CR
Guide to High-Temperature Alloys, 5-57
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Nuclear Reactor Materials vs Decontamination, 2-67

STEELS, NICKEL
Metal Clad Plates vs Corrosive Environment, 5-70
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

STEELS, WROUGHT, +LOW CR, MO
High-Temperature Cracking of Low Cr-Mo Steel, 12-35

STEPWISE CRACKING
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53

STILLS CHEMICAL
Ferritic Stainless Steel, When to Use, 9-52

STORAGE CONTAINERS & BUILDING EQUIPMENT
Coatings Industry Federal Regulations, 2-23

STRAY CURRENTS
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Cathodic Protection of Ductile-Iron Pipe, 8-25
CP of Pipeline in High-Resistivity Soils, 2-23
Leak Prevention for Underground Tanks, 7-28
Stray Current Attack Inside Water Pipe, 11-66
Stray Current Control by Isolation and Carbon, 9-17

STRESS CORROSION CRACKING
Alkaline Cracking of Carbon Steel, 5-68
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Atmospheric Corrosion Test Review—Part 4, 1-52
Ferritic Stainless Steel, When to Use, 9-52
Glass FRP Line Pipe for Oilfield Service, 8-64
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Liquid Mercury Embrittlement of Aluminum, 2-62
Materials for 1000°C Incinerator Offgas, 11-62
SCC of Carbon Steel in Ammonia, 12-29
Waste-Water Facilities Problems Case History, 9-43

STRESS RELIEVING
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Long-Term Stress Relief on Piping Welds, 10-61

STRESSES, CAUSES
Alkaline Cracking of Carbon Steel, 5-68
CMA, NaCl Tests as Deicing Salts, 12-24
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Liquid Mercury Embrittlement of Aluminum, 2-62
SCC of Carbon Steel in Ammonia, 12-29

STRETCHING, CAUSES
Atmospheric Corrosion Test Review—Part 4, 1-52

SUCTION FILTERS
Corrosion Damage on Papermaking Equipment, 11-80

SULFATES, BASES AND SALTS, CAUSES
Buried Al, Cu Telephone Cable Shielding, 9-68
Controls for Reinforced-Concrete Manhole, 10-17
Industrial Plant Steam Purity Problems, 5-45
Paper Mill White Water Attack on Stainless Steel, 11-68
Waste Incinerator Gas vs Alloys 825, 625, 12-41
Waste-Water Facilities Problems Case History, 9-43

SULFIDES, BASES AND SALTS, CAUSES
Air Pollution Regs Impact Utility Planning, 5-28
Basics—Cathodic Inhibitors, 8-50
Biological Attack on Nuclear Facilities, 10-55
Industrial Plant Steam Purity Problems, 5-45
Microbes Influence on Attack Underdeposit, 11-46

SULFITES, BASES AND SALTS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39

SULFUR DIOXIDE
Basics—Cathodic Inhibitors, 8-50
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39

SULFUR
Air Pollution Regs Impact Utility Planning, 5-28
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Coke Breeze Groundbed Backfill Evaluation, 7-14
Computer Access to High-Temperature Alloy Information, 1-69
Consequences of Boiler Water Treatment Upset, 12-49
Guide to High-Temperature Alloys, 5-57
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Paper Mill White Water Attack on Stainless Steel, 11-68
Quality Control for High-Nickel Casting, 1-64
Waste Incinerator Gas vs Alloys 825, 625, 12-41

SULFURIC ACIDS
Control of Biological Attack on Concrete, 10-45
Ferritic Stainless Steel, When to Use, 9-52
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Industrial Plant Steam Purity Problems, 5-45
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Waste-Water Facilities Problems Case History, 9-43

SURFACE CONTAMINATION EFFECTS
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Variables Affecting Coatings Application, 10-28

SURFACE EFFECTS
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Nondestructive Detection of Hydrogen Damage, 8-71
Scale Modeling Effects on Corrosion Rate, 11-72
Silicones and Other High-Temperature Coating, 5-33
Variables Affecting Coatings Application, 10-28

SURFACE PREPARATION
Coatings for Splash Zone, Subsea Areas, 1-41
Conductive Polymer Panel for CP of Piling, 9-24
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Economics of Advanced Coatings Systems, 2-29
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Improved Design for Corrosion Control, 11-37
Nitrogen Purging of Duplex Pipe for Hot Bending, 6-53
Pipeline Coating Removal, Surface Preparation, 4-22
Silicones and Other High-Temperature Coating, 5-33
Stainless Steel Attacks—Case History, 2-65
Surface Preparation Errors Cause Coatings Failure, 10-35
Surface Preparation Standards Rationalization, 5-38
Surface Preparation Definitions Clarification, 11-42
Variables Affecting Coatings Application, 10-28

TAIL SOLVENTS IN COATINGS
Solvent Influence on Organic Coating Blisters, 7-35

TANKS, METAL
Al Tank Failure Due to Wrong Welding Alloy, 9-66
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
$CO_2 + H_2$ vs Fe-Cr-Mo Steels at High Pressure, 8-63
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39
Leak Prevention for Underground Tanks, 7-28
Retained Hydrotest Water Tank Pit, 7-68
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38

TANKS, NONMETAL
Concrete Water Tanks vs Cold Climate, 5-51
Leak Prevention for Underground Tanks, 7-28

TAPES, MULTIPHASE COATINGS
Coatings for Splash Zone, Subsea Areas, 1-41
Lake Maracaibo Pipe Control Statistics, 5-18
Leak Prevention for Underground Tanks, 7-28
Pipeline Coating Removal, Surface Preparation, 4-22

TELEPHONE EQUIPMENT
Buried Al, Cu Telephone Cable Shielding, 9-68

TELEVISION, INSPECTION USING
Miniature Samples Aid Service Life Prediction, 7-77

TEMPERATE SEAWATER ENVIRONMENT
Coatings for Splash Zone, Subsea Areas, 1-41

TEMPERATURE
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Chloride Attack on Coal-Fired Boiler Walls, 2-41
Consequences of Boiler Water Treatment Upset, 12-49
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Ferritic Stainless Steel, When to Use, 9-52
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Glass FRP Line Pipe for Oilfield Service, 8-64
Guide to High-Temperature Alloys, 5-57
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
Hot Phenol Corrosion of Aluminum Tank, 6-56
In Situ Stress Relief Steam Boiler U-Bends, 2-73
Liquid Mercury Embrittlement of Aluminum, 2-62
Low-Velocity Attack by Seawater, 2-46
Materials for 1000°C Incinerator Offgas, 11-62
Microbial Influence on Cathodic Potential in Seawater, 6-17
Miniature Samples Aid Service Life Prediction, 7-77
Nuclear Reactor Materials vs Decontamination, 2-67
Paper Mill White Water Attack on Stainless Steel, 11-68
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
SCC of Carbon Steel in Ammonia, 12-29
Silicones and Other High-Temperature Coating, 5-33
Waste Incinerator Gas vs Alloys 825, 625, 12-41

TEMPERATURE EFFECTS
Biological Attack on Nuclear Facilities, 10-55
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Curing Time Critical for Coatings Performance, 12-21
Desiccant Dehumidifier Cuts Coatings Time, 8-32
Design Fundamentals for FRP, 1-35
Ferritic Stainless Steel, When to Use, 9-52
High Current Output Anode Groundbed Planning, 7-22
New Coatings Meet VOC and Lead-Free Rule, 12-17
Offshore Structure Accelerated Coating Testing, 11-31
Petroleum Well Casing CP System Evaluation, 8-17
Quality Control for High-Nickel Casting, 1-64
Unexpected Consequences Corrosion Factor, 7-70
Vapor Transport Tests on Electronic Box Seal, 6-30
Variables Affecting Coatings Application, 10-28

TEMPORARY COATINGS
Flame-Sprayed Al Performance on Oil Platforms, 9-34

TENSILE STRESSES
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Atmospheric Corrosion Test Review—Part 4, 1-52
Design Fundamentals for FRP, 1-35
Flame-Sprayed Al Performance on Oil Platforms, 9-34

TESTING
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Atmospheric Corrosion Test Review—Part 4, 1-52
Basics-Oilfield Inhibitor Applications, 1-57
Biologically Induced Pitting in 904 L, 5-57
CMA, NaCl Tests as Deicing Salts, 12-24
Cathodic Protection of Buried Lead Sheathed Cable, 12-11
Coatings Quality Test Methods, 5-39
Concrete Bridge Deck, Substructure Protection, 10-11
CP of Pipeline in High-Resistivity Soils, 2-23
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
Evaluating Equipment for Wet H_2S Service, 6-59
Fused-Epoxy Pipe Coating Inspection, Tests, 5-29
Glass FRP Line Pipe for Oilfield Service, 8-64
Golden Gate Bridge 50-Years Corrosion Control, 10-65
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Industrial Plant Steam Purity Problems, 5-45
Inhibitors for Steel-Reinforced Concrete, 10-41
Materials for 1000°C Incinerator Offgas, 11-62
Merits of Materials Selection Tests, 3-77
Microbes Influence on Attack Underdeposit, 11-46
Miniature Samples Aid Service Life Prediction, 7-77
Nondestructive Detection of Hydrogen Damage, 8-71
Nuclear Reactor Materials vs Decontamination, 2-67
Offshore Structure Accelerated Coating Testing, 11-31
Petroleum Well Casing CP System Evaluation, 8-17
Pipeline Coating Defect, Potential Tests, 4-17
Pipeline Coating Removal, Surface Preparation, 4-22
Practical Application of Statistics, 10-71
Review—Gas Well Corrosion Inhibitors, 8-46
Scale Modeling Effects on Corrosion Rate, 11-72
Solvent Influence on Organic Coating Blisters, 7-35

TETRATHIONATE ENVIRONMENTS
In Situ Stress Relief Steam Boiler U-Bends, 2-73

THERMAL INSULATION
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Concrete Water Tanks vs Cold Climate, 5-51
Silicones and Other High-Temperature Coating, 5-33

THICK FILM ORGANIC COATINGS
Control of Biological Attack on Concrete, 10-45
Lake Maracaibo Pipe Control Statistics, 5-18

THIOSULFATES
Corrosion Damage on Papermaking Equipment, 11-80
Paper Mill White Water Attack on Stainless Steel, 11-68

TILE
Controls for Reinforced-Concrete Manhole, 10-17
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64

TIN COATINGS
Buried Al, Cu Telephone Cable Shielding, 9-68

TIN-CONTAINING INHIBITORS
Gypsum Scale Inhibitors for Flue Gas Systems, 6-39
Inhibitors for Steel-Reinforced Concrete, 10-41

TITANIUM
Air Pollution Regs Impact Utility Planning, 5-28
Basics—Cathodic Inhibitors, 8-50
Biological Attack on Nuclear Facilities, 10-55
Ferritic Stainless Steel, When to Use, 9-52
Galvanic Corrosion of Heat Exchangers, 1-67
Metal Clad Plates vs Corrosive Environment, 5-70
Microbial Influence on Cathodic Potential in Seawater, 6-17

TITANIUM ANODES
Conductive Polymer Panel for CP of Piling, 9-24

TOPCOATS, ORGANIC, APPLICATION
Economics of Advanced Coatings Systems, 2-29

TOXINS, CAUSES
New Coatings Meet VOC and Lead-Free Rule, 12-17

TRADE NAMES
Guide to High-Temperature Alloys, 5-57

TRAINING
Training Protocol Preceding Coatings Application, 9-40

TRANSPORTATION OF CHEMICALS
Coatings Industry Federal Regulations, 2-23

TRUCK TRANSPORTATION
Design vs Pressure Vessel Transportation Equipment, 1-49

TUBERCULATION
Biological Attack on Nuclear Facilities, 10-55

TURBINES, GAS, INTERNAL COMBUSTION
Guide to High-Temperature Alloys, 5-57

TURBULENCE
Consequences of Boiler Water Treatment Upset, 12-49

ULTRASONIC NONDESTRUCTIVE TESTING
Design vs Pressure Vessel Transportation Equipment, 1-49
Evaluating Equipment for Wet H_2S Service, 6-59
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Liquid Mercury Embrittlement of Aluminum, 2-62
Metal Clad Plates vs Corrosive Environment, 5-70
Nondestructive Detection of Hydrogen Damage, 8-71
Process Equipment Surveillance Development, 6-46

ULTRAVIOLET LIGHT
Glass FRP Line Pipe for Oilfield Service, 8-64

UNDERGROUND ENVIRONMENTS
Buried Al, Cu Telephone Cable Shielding, 9-68
Cathodic Protection of Buried Pipe at Nuclear Fuel Facility, 6-24
Cathodic Protection of Ductile-Iron Pipe, 8-25
Coatings Industry Federal Regulations, 2-23
Controls for Reinforced-Concrete Manhole, 10-17
Glass FRP Line Pipe for Oilfield Service, 8-64

High Current Output Anode Groundbed Planning, 7-22
Impressed Current Cathodic Protection Anodes Underground, 1-17
Leak Prevention for Underground Tanks, 7-28
Oxygen Concentration Cells Underground, 4-74
Leak Prevention for Underground Tanks, 7-28

UNDERWATER ENVIRONMENTS
Cathodic Protection Weighted, Immersed Pipeline, 11-15
Coatings for Splash Zone, Subsea Areas, 1-41
Remote Vehicle Deep Water Cathodic Protection Survey, 11-21

UNREINFORCED CONCRETE
Concrete Water Tanks vs Cold Climate, 5-51

URETHANE COATINGS
Air Pollution Regs Impact Utility Planning, 5-28
Control of Biological Attack on Concrete, 10-45
Controls for Reinforced-Concrete Manhole, 10-17
Economics of Advanced Coatings Systems, 2-29
New Coatings Meet VOC and Lead-Free Rule, 12-17
Pipeline Coating Removal, Surface Preparation, 4-22
Solvent Influence on Organic Coating Blisters, 7-35

U.S., REGULATIONS
Air Pollution Regs Impact Utility Planning, 5-28
Bolt Identification Regulations, 11-8
Coatings Industry Federal Regulations, 2-23
Design vs Pressure Vessel Transportation Equipment, 1-49

VALVES
Hot Isotactic Pressed Alloy 625 in H_2S, 1-59

VANADATE INHIBITORS
Review—Gas Well Corrosion Inhibitors, 8-46

VANADIUM PENTOXIDE
Guide to High-Temperature Alloys, 5-57

VAPOR PHASE INHIBITORS
Vapor Phase Inhibitor Uses and Mechanism, 11-57

VAPOR SPACE
Control of Biological Attack on Concrete, 10-45
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitors, 7-50

VELOCITY
Basics-Oilfield Inhibitor Applications, 1-57
Cu Release From Cu-Ni Heat Exchanger Coil, 9-75
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41
H_2S, CO_2 Attack on Natural Gas Pipeline, 7-45
Liquid Mercury Embrittlement of Aluminum, 2-62
Microbial Influence on Cathodic Potential in Seawater, 6-17
Nodular Cast-Iron Valves vs Arab Gulf Water, 8-53
Nondestructive Detection of Hydrogen Damage, 8-71
Part 2—Steel vs Aqueous CO_2 Environment, 5-46
Review—Gas Well Corrosion Inhibitors, 8-46
Scale Modeling Effects on Corrosion Rate, 11-72
Seawater Flow Calcareous Deposits Influence on CP, 3-29
Unexpected Consequences Corrosion Factor, 7-70
Variables Affecting Coatings Application, 10-28

VERTICAL SURFACES
Concrete Bridge Deck, Substructure Protection, 10-11

VINYL ESTER POLYMERIC MATERIALS
Air Pollution Regs Impact Utility Planning, 5-28
Control of Biological Attack on Concrete, 10-45
Glass FRP Line Pipe for Oilfield Service, 8-64
Leak Prevention for Underground Tanks, 7-28

VINYLS, NOT PVC, THIN FILM COATINGS
Economics of Advanced Coatings Systems, 2-29
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Offshore Structure Accelerated Coating Testing, 11-31

VOLATILE SOLVENTS IN COATINGS
Solvent Influence on Organic Coating Blisters, 7-35

WALLS, BUILDING
Seawater Attack on Steel in Masonry Wall, 12-44

WASTE DISPOSAL
Coatings Industry Federal Regulations, 2-23
New Coatings Meet VOC and Lead-Free Rule, 12-17
Waste-Water Facilities Problems Case History, 9-43

WATER-BASED COATINGS
New Coatings Meet VOC and Lead-Free Rule, 12-17

WATER BLAST ABRASIVE SURFACE PREPARATION
Inhibitor Use in Wet Blasting Challenged, 7-7

WATER SOLUBLE INHIBITORS
Dynamic Test for High-Pressure CO_2 Inhibitors, 8-41

WATER, BLASTING, NOT ABRASIVE, SURFACE PREPARATION
Coatings for Splash Zone, Subsea Areas, 1-41
Inhibitor Use in Wet Blasting Challenged, 7-7

WATER
Biological Attack on Nuclear Facilities, 10-55
Cathodic Protection of Ductile-Iron Pipe, 8-25
Coatings Industry Federal Regulations, 2-23
Concrete Bridge Deck, Substructure Protection, 10-11
Concrete Water Tanks vs Cold Climate, 5-51
CO_2 + H_2 vs Fe-Cr-Mo Steels at High Pressure, 8-63
Curing Time Critical for Coatings Performance, 12-21
Galvanic Attack in Water Tank from Stainless-Steel Pipe, 8-39
Hot Phenol Corrosion of Aluminum Tank, 6-56
Immersed Coatings Blistering by Cathodic Protection, 9-31
Inhibition of Wet Gas CO_2 Attack by Glycol Inhibitor, 7-50
Leak Prevention for Underground Tanks, 7-28
Polymer Control for Cooling Water Scales, 5-41
Relative Humidity Influence on Coatings, 5-38
Retained Hydrotest Water Tank Pit, 7-68
RP0388-88—Internal Cathodic Protection Water Tanks, 1-38
SCC of Carbon Steel in Ammonia, 12-29
Solvent Influence on Organic Coating Blisters, 7-35
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

WATERFLOOD, OIL RECOVERY
Glass FRP Line Pipe for Oilfield Service, 8-64

WAVE ACTION STRESSES
Lake Maracaibo Pipe Control Statistics, 5-18

WEIGHTED COATINGS
Cathodic Protection Weighted, Immersed Pipeline, 11-15

WELDED JOINTS
Alkaline Cracking of Carbon Steel, 5-68
Hydrogen Damage to Steel in Wet H_2S and HF Acid, 2-53
High-Nickel, Cr-Mo Alloys Performance Compared, 2-57
Ni, Ni-Cr Alloys in Flue Gas Desulfurization System, 7-64
Retained Hydrotest Water Tank Pit, 7-68

WELDING, JOINING
Al Tank Failure Due to Wrong Welding Alloy, 9-66
Alloy 556 vs 82 Welds of 800H, HT in Sulfur, 8-58
Ammonia Cracking of Copper Alloy Tank Bottoms, 5-61
Biological Attack on Nuclear Facilities, 10-55
Design vs Pressure Vessel Transportation Equipment, 1-49
Evaluating Equipment for Wet H_2S Service, 6-59
High-Temperature Cracking of Low Cr-Mo Steel, 12-35
Improved Design for Corrosion Control, 11-37
Long-Term Stress Relief on Piping Welds, 10-61
Miniature Samples Aid Service Life Prediction, 7-77
New Coatings Meet VOC and Lead-Free Rule, 12-17
Quality Control for High-Nickel Casting, 1-64
SCC of Carbon Steel in Ammonia, 12-29
Sensitization Tests on CF, CFM Cast Alloy, 5-52
Unexpected Consequences Corrosion Factor, 7-70
Waste-Water Facilities Problems Case History, 9-43

WHITE OR BLACK LIQUORS, PAPER INDUSTRY
Corrosion Damage on Papermaking Equipment, 11-80
Paper Mill White Water Attack on Stainless Steel, 11-68

WIRE BRUSHING, SURFACE PREPARATION
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Surface Preparation Definitions Clarification, 11-42

WIRE, NONELECTRICAL EQUIPMENT
Golden Gate Bridge 50-Years Corrosion Control, 10-65

WOOD
Lake Maracaibo Pipe Control Statistics, 5-18
Polymer Attack by Borers in Seawater, 10-52
Unexpected Consequences Corrosion Factor, 7-70

ZINC-LOADED, INORGANIC COATINGS
Flame-Sprayed Al Performance on Oil Platforms, 9-34
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Offshore Structure Accelerated Coating Testing, 11-31
Silicones and Other High-Temperature Coating, 5-33

ZINC METAL COATINGS
CP of Pipeline in High-Resistivity Soils, 2-23
Golden Gate Bridge 50-Years Corrosion Control, 10-65
Improved Design for Corrosion Control, 11-37
Waste-Water Facilities Problems Case History, 9-43
Zn-Ni Underlayer for Plasma-Sprayed Ceramics, 6-49

ZINC SALTS, CAUSES
Analysis of Attack on Galvanized Cooling Towers, 9-47

ZINC, INHIBITORS CONTAINING
Basics—Cathodic Inhibitors, 8-50

Author Index

A

Ano, S., 5-41
Arsenault, B., 6-49
Arzumanian, L., 6-53
Ashbaugh, W.G., 7-68

B

Baboian, R., 9-68
Baghdasarian, A., 6-53
Bagnoli, D.L., 12-35
Bardal, E., 6-17
Bashenini, M., 10-17
Bavarian, B.X., 9-43
Bianchetti, R.L., 7-22
Bich, N.N., 7-45
Birring, A.S., 8-71
Blough, J.L., 12-49
Boffardi, B.P., 10-71, 12-54
Bone III, L., 11-31
Bechtol, D., 8-32
Bednarowicz, T.A., 1-59
Benedict, R.L., 5-18
Berke, N.S., 10-41
Bhandari, B.M., 10-17
Brooke, M., 12-33
Buis, L.E., 11-37
Bunch, P.D., 1-59
Burchart, P.A., 2-67
Burgmayer, P., 9-75
Byrd, J.D., 9-34, 1-59
Byrnes, G., 5-39, 9-31

C

Catelin, D., 5-70
Cepulis, R.I., 3-87
Chiu, A.S., 8-64
Corbett, R.A., 6-24, 8-25, 2-56
Chesnut, G.R., 8-41
Choi, H.J., 3-87
Cornwell, L.R., 3-71

D

Dallaires, S., 6-49
Daniel, P.L., 2-41
Davies, D.H., 8-17
Davies, M., 5-57
Davies, K.G., 10-17
Dean S.W., 1-52
Degnan, T.F., 10-61
Deverell, H.E., 9-52
Dillon, C.P., 1-67
Dougherty, J.A., 8-46
Du Po Run, F., 5-70
Dugstad, A., 3-63, 5-46

E-F

Ekis Jr., E.W., 6-39
Elliott, P., 8-75, 5-57, 2-65, 7-70
Emmons, D., 8-41
English, J.J., 2-62
Ernst, S.C., 8-58
Esmacher, M.J., 1-74
Estes, E., 3-71
Falcao da Silva Porto, M., 8-63
Fonda, A.F., 1-35
Foster, T., 3-21
Franco, R.J., 8-64
Franson, I.A., 9-52
French, E.C., 8-46

G

Garrity, K.C., 8-25
Gartland, P.O., 6-17
Gladman, T., 2-60
Godard, H.P., 10-71, 12-54
Gossett, J.L., 1-64
Gouda, V.K., 8-53
Grieve, R., 5-51
Griffin, R.B., 3-71
Guanti, R.J., 3-29
Guttenplan, J.D., 6-30

H

Hack, H.P., 3-29, 11-72
Hall, G.B, 10-45
Hassan, F., 7-77, 2-13
Haver, C.A., 12-44
Haynes, G., 9-68
Heubner, U., 9-58
Hines, D.W., 9-47
Hofmann, F., 9-58
Holthe, R., 6-17
Howell, K.M., 7-22
Hubinger, R., 2-41
Hussain K., 2-13

I-J

Imai, T., 5-41
Jakobs, J.A., 7-14
Jenkins, C.F., 8-25, 11-62
Jobard, D., 5-70
John, R.C., 1-41, 1-69

K

Kanhai, K., 2-67
Karakaya, I., 1-69
Kawano, K., 8-71
Kessler, R.J., 9-24
Kirchheiner, R., 9-58
Kobrin, G., 2-62
Kolyer, J.M., 6-30
Kroon, D.H., 12-11, 1-17
Kroon, H.E., 12-11
Kunz, R.G., 9-47

L

La Casse, G.A., 8-32
Lackey, J.Q., 12-47
Lai, G.Y., 8-58
Laronge, T.M., 5-68
Larsen-Basse, J., 2-46
Lauer, J.A., 2-73
Leask, L.J., 11-21
Licina, G.J., 10-55
Lin, M.L., 6-39
Lunde, L., 12-29

M

Maddux, G.C., 5-65
Martin, R.L., 8-46
Martins, S.W., 8-63
Masciale, M.J., 2-29
Mathay, W.L., 7-64
McCoy, J., 2-16
McConkey, S.E., 4-22
McCrum, R.L., 12-24
McMinn, A., 7-77
Merrick, R.D., 2-53
Miglin, B.P., 2-73
Mohn, D.E., 10-65
Monter, J.V., 2-73
Montrone, E.D., 12-49
Moore Jr., E.M., 6-59
Moran, P.J., 5-40
Morrison, W.S., 2-56
Mouche, R.J., 6-39
Mulvany, J., 4-17
Munger, C.G., 10-28
Murray, J.N., 5-40

N

Nacht, S.H., 7-28
Nassos, P.A., 6-39
Nicol, J., 7-7
Nyborg, R., 12-29

O-P

O'Connor, K., 9-43
Page, G., 11-66
Park, Y.-H., 2-46
Partridge, P.E., 5-29
Paul, L.D., 2-41
Petrie, R.R., 6-59
Pollock, W.I., 11-58
Pope, D.H., 11-46
Powers, R.G., 9-24
Price, D.R., 9-17

R

Raymond, E.L., 1-59
Riad, W.T., 8-53
Richardson, J.A., 6-46
Rivers, W.M., 9-17
Robinson, J.O., 5-45
Robinson, R.C., 5-13
Rosbrook, T., 9-34

S

Sasaki, K., 8-17
Scott, P.J.B., 5-57, 10-52
Seitz, W., 3-71
Simoes dos Santos, R., 8-63
Shalaby, H.M., 8-53
Shaukat, A., 2-13
Singh, A.K., 6-53
Smith, G.D., 12-41
Speranzini, R.A., 2-67
Spires, G.V., 5-28
Staples, M.L., 5-33
Storfer, S.J., 7-35
Sturrock, C.P., 11-58
Szlarz, K.E., 7-45

T

Tanzosh, J.M., 2-41, 7-77
Tassen, C.S., 12-41
Tator, K.B., 3-41
Thomason, W.H., 9-34
Thompson, W., 1-69
Tsuneki, T., 5-41
Turner, M.E.D., 3-77

U-Z

Uchida, T., 5-41
Van Gelder, K., 7-50
Van Hoof, W., 1-41
Van Sciver, J.H., 6-56
Videm, K., 3-63, 5-46
Walker, C.K., 5-65
Wensley, D.A., 11-68
Whitesell, M.F., 12-17
Willard, R.C., 1-49
Wilson, C.J., 11-8
Wiskel, B.J., 11-15
Wozniewski, A., 7-14, 11-15
Yuhas Jr., S.A., 7-35
Zamanzadeh, M., 9-43
Zintel, T.P., 11-46-

This publication is available in microform from University Microfilms International.

Call toll-free 800-521-3044. In Michigan, Alaska and Hawaii call collect 313-761-4700. Or mail inquiry to: University Microfilms International, 300 North Zeeb Road, Ann Arbor, MI 48106.

AUTOMOTIVE CORROSION BY DEICING SALTS

Practical Solutions to Billion Dollar Corrosion Problem

Automobile corrosion caused by a combination of deicing road salts and atmospheric pollutants is a multi-billion dollar problem in North America. At an estimated $16 billion annually, the total cost of automobile corrosion is greater than that of any other item of capital equipment in the U.S. Significant progress has been made toward controlling this corrosion through advances in design and materials used in automobiles, but more work is needed. This publication, containing 24 important papers, focuses on the technological advances in materials and techniques used to prevent, or at least to control, the problem. Five major sections cover:

- Economic and Environmental Factors
- Fundamentals
- Testing
- Design
- Materials

Engineers and scientist will find this book a valuable and ready reference when designing and finding practical solutions for corrosion caused by deicing salts in the steel and automobile related industries. Call NACE today and place your order!

5-1/2 x 8-1/2", hard cover, 426 pages, 169 figures, 98 tables, 345 references, subject index. Published 1981.

ISBN: 0-915567-97-0
Library of Congress Card No.: 81-83275
Item #52188

$24.00 NACE members,
$30.00 Nonmembers

NACE
National Association of Corrosion Engineers

To order contact:
NACE Publication Orders Dept.
P.O. Box 218340
Houston, Texas 77218
Phone: (713) 492-0535
Fax: (713) 492-8254 · Telex: 792310